
Subject: Re: [PATCH 6/6 net-2.6.25][RAW] Consolidate proc interface

Posted by [Pavel Emelianov](#) on Fri, 16 Nov 2007 14:39:21 GMT

[View Forum Message](#) <> [Reply to Message](#)

YOSHIFUJI Hideaki wrote:

> NAK.

>
> In article <473DA6EF.5090004@openvz.org> (at Fri, 16 Nov 2007 17:19:27 +0300), Pavel
Emelyanov <xemul@openvz.org> says:

>
>> @@ -858,7 +852,7 @@ static struct sock *raw_get_first(struct seq_file *seq)
>> ++state->bucket) {
>> struct hlist_node *node;
>>
>> - sk_for_each(sk, node, &raw_v4_hashinfo.ht[state->bucket])
>> + sk_for_each(sk, node, &state->h->ht[state->bucket])
>> if (sk->sk_family == PF_INET)
>> goto found;
>> }

> This and

>> -static struct sock *raw6_get_first(struct seq_file *seq)
>> -{
>> - struct sock *sk;
>> - struct hlist_node *node;
>> - struct raw6_iter_state* state = raw6_seq_private(seq);
>> -
>> - for (state->bucket = 0; state->bucket < RAW_HTABLE_SIZE;
>> - ++state->bucket)
>> - sk_for_each(sk, node, &raw_v6_hashinfo.ht[state->bucket])
>> - if (sk->sk_family == PF_INET6)
>> - goto out;
>> - sk = NULL;
>> -out:
>> - return sk;
>> -}
>> -

> this are different.

Oops... Indeed. Thanks for noticing. I've overlooked this :(

> --yoshfuji

>
