
Subject: [PATCH 2/4] proc: detect duplicate names on registration
Posted by [Alexey Dobriyan](#) on Fri, 16 Nov 2007 15:08:40 GMT
[View Forum Message](#) <> [Reply to Message](#)

Andrew, please drop procfs-detect-duplicate-names.patch and apply this instead.

[PATCH] proc: detect duplicate names on registration

From: Zhang Rui <rui.zhang@intel.com>

Print a warning if PDE is registered with a name which already exists in target directory.

Bug report and a simple fix can be found here:
http://bugzilla.kernel.org/show_bug.cgi?id=8798

[\\n fixlet and no undescriptive variable usage --adobriyan]

Signed-off-by: Zhang Rui <rui.zhang@intel.com>

Signed-off-by: Alexey Dobriyan <adobriyan@sw.ru>

fs/proc/generic.c | 10 ++++++++
1 file changed, 10 insertions(+)

--- a/fs/proc/generic.c

+++ b/fs/proc/generic.c

@@ -518,6 +518,7 @@ static const struct inode_operations proc_dir_inode_operations = {
static int proc_register(struct proc_dir_entry * dir, struct proc_dir_entry * dp)

{
unsigned int i;
+ struct proc_dir_entry *tmp;

i = get_inode_number();
if (i == 0)

@@ -536,6 +537,15 @@ static int proc_register(struct proc_dir_entry * dir, struct proc_dir_entry *
dp
}

spin_lock(&proc_subdir_lock);
+
+ for (tmp = dir->subdir; tmp; tmp = tmp->next)
+ if (strcmp(tmp->name, dp->name) == 0) {
+ printk(KERN_WARNING "PDE '%s' already registered\\n",
+ dp->name);
+ dump_stack();
+ break;
+ }

```
+  
dp->next = dir->subdir;  
dp->parent = dir;  
dir->subdir = dp;
```
