
Subject: Re: [PATCH][net-2.6.25][NETNS] make netns cleanup to run in a separate workqueue

Posted by [dev](#) on Mon, 19 Nov 2007 11:01:27 GMT

[View Forum Message](#) <> [Reply to Message](#)

imho panic() is too much.

create_singlethread_workqueue() can fail e.g. due to out of memory...

Thanks,

Kirill

Daniel Lezcano wrote:

> Subject: make netns cleanup to run in a separate queue

> From: Benjamin Thery <benjamin.thery@bull.net>

>

> This patch adds a separate workqueue for cleaning up a network

> namespace. If we use the keventd workqueue to execute cleanup_net(),

> there is a problem to unregister devices in IPv6. Indeed the code

> that cleans up also schedule work in keventd: as long as cleanup_net()

> hasn't return, dst_gc_task() cannot run and as long as dst_gc_task() has

> not run, there are still some references pending on the net devices and

> cleanup_net() can not unregister and exit the keventd workqueue.

>

> Signed-off-by: Daniel Lezcano <dlezcano@fr.ibm.com>

> Signed-off-by: Benjamin Thery <benjamin.thery@bull.net>

> Acked-by: Denis V. Lunev <den@openvz.org>

> ---

> net/core/net_namespace.c | 9 +++++++-

> 1 file changed, 8 insertions(+), 1 deletion(-)

>

> Index: net-2.6.25/net/core/net_namespace.c

> =====

> --- net-2.6.25.orig/net/core/net_namespace.c

> +++ net-2.6.25/net/core/net_namespace.c

> @@ -58,6 +58,7 @@ out_undo:

>

> #ifdef CONFIG_NET_NS

> static struct kmem_cache *net_cachep;

> +static struct workqueue_struct *netns_wq;

>

> static struct net *net_alloc(void)

> {

> @@ -149,7 +150,7 @@ void __put_net(struct net *net)

> {

> /* Cleanup the network namespace in process context */

> INIT_WORK(&net->work, cleanup_net);

> - schedule_work(&net->work);

```

> + queue_work(netns_wq, &net->work);
> }
> EXPORT_SYMBOL_GPL(__put_net);
>
> @@ -171,7 +172,13 @@ static int __init net_ns_init(void)
> net_cache = kmem_cache_create("net_namespace", sizeof(struct net),
> SMP_CACHE_BYTES,
> SLAB_PANIC, NULL);
> +
> + /* Create workqueue for cleanup */
> + netns_wq = create_singlethread_workqueue("netns");
> + if (!netns_wq)
> + panic("Could not create netns workq");

> #endif
> +
> mutex_lock(&net_mutex);
> err = setup_net(&init_net);
>
>
>
> -----
>
> _____
> Containers mailing list
> Containers@lists.linux-foundation.org
> https://lists.linux-foundation.org/mailman/listinfo/containers

```

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>
