
Subject: [RFC][only for review] memory controller bacground reclaim [2/5] set/get ops for res_counter

Posted by KAMEZAWA Hiroyuki on Wed, 28 Nov 2007 08:52:39 GMT

[View Forum Message](#) <> [Reply to Message](#)

At implmenting high/low watermark in res_counter, it will be better to adjust high/low value when limit changes. (or don't allow user to specify high/low value)

This patch adds *internal* interface to modify resource value.
(If there are only limit/usage/failcnt, these routines are not necessary but..)
And will be used later.

Signed-off-by: KAMEZAWA Hiroyuki <kamezawa.hiroyu@jp.fujitsu.com>

```
include/linux/res_counter.h |  7 +++++++  
kernel/res_counter.c      | 19 ++++++*****  
2 files changed, 26 insertions(+)
```

Index: linux-2.6.24-rc3-mm1/include/linux/res_counter.h

```
=====--- linux-2.6.24-rc3-mm1.orig/include/linux/res_counter.h 2007-11-28 14:18:21.000000000 +0900  
+++ linux-2.6.24-rc3-mm1/include/linux/res_counter.h 2007-11-28 14:18:33.000000000 +0900  
@@ -59,6 +59,13 @@  
     int (*write_strategy)(char *buf, unsigned long long *val));  
  
/*  
+ * A routine for set/get limitation value from kernel internal code.  
+ * res->lock should be held before call this.  
+ */  
+unsigned long long res_counter_get(struct res_counter *counter, int member);  
+void res_counter_set(struct res_counter *conter, int member,  
+    unsigned long long val);  
+/*  
 * the field descriptors. one for each member of res_counter  
 */
```

Index: linux-2.6.24-rc3-mm1/kernel/res_counter.c

```
=====--- linux-2.6.24-rc3-mm1.orig/kernel/res_counter.c 2007-11-28 14:18:21.000000000 +0900  
+++ linux-2.6.24-rc3-mm1/kernel/res_counter.c 2007-11-28 14:18:33.000000000 +0900  
@@ -75,6 +75,25 @@  
     return NULL;  
 }  
  
+unsigned long long res_counter_get(struct res_counter *res, int member)  
+{  
+ unsigned long long *val;
```

```
+  
+ val = res_counter_member(res, member);  
+  
+ return *val;  
+}  
+  
+void res_counter_set(struct res_counter *res, int member,  
+ unsigned long long newval)  
+{  
+ unsigned long long *val;  
+  
+ val = res_counter_member(res, member);  
+ *val = newval;  
+ return;  
+}  
+  
ssize_t res_counter_read(struct res_counter *counter, int member,  
 const char __user *userbuf, size_t nbytes, loff_t *pos,  
 int (*read_strategy)(unsigned long long val, char *st_buf))
```

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>
