
Subject: [PATCH net-2.6.25 1/3][IPV6] Cleanup the addconf_sysctl_register
Posted by [Pavel Emelianov](#) on Fri, 30 Nov 2007 18:51:34 GMT
[View Forum Message](#) <> [Reply to Message](#)

This only includes fixing the space-indented lines and removing one unneeded else after the goto.

Signed-off-by: Pavel Emelyanov <xemul@openvz.org>

diff --git a/net/ipv6/addrconf.c b/net/ipv6/addrconf.c
index f177424..2d2886a 100644

--- a/net/ipv6/addrconf.c

+++ b/net/ipv6/addrconf.c

@@ -4127,7 +4127,8 @@ static void addrconf_sysctl_register(struct inet6_dev *idev, struct
ipv6_devconf

 t = kmemdup(&addrconf_sysctl, sizeof(*t), GFP_KERNEL);
 if (t == NULL)

- return;

+ goto out;

+
 for (i=0; t->addrconf_vars[i].data; i++) {
 t->addrconf_vars[i].data += (char*)p - (char*)&ipv6_devconf;
 t->addrconf_vars[i].extra1 = idev; /* embedded; no ref */
@@ -4147,7 +4148,7 @@ static void addrconf_sysctl_register(struct inet6_dev *idev, struct
ipv6_devconf
 */

 dev_name = kstrdup(dev_name, GFP_KERNEL);
 if (!dev_name)

- goto free;

+ goto free;

 t->addrconf_dev[0].procname = dev_name;

@@ -4159,16 +4160,15 @@ static void addrconf_sysctl_register(struct inet6_dev *idev, struct
ipv6_devconf

 t->sysctl_header = register_sysctl_table(t->addrconf_root_dir);

 if (t->sysctl_header == NULL)

 goto free_procname;

- else

- p->sysctl = t;

+

+ p->sysctl = t;

 return;

- /* error path */

```
- free_procname:
+free_procname:
    kfree(dev_name);
- free:
+free:
    kfree(t);
-
+out:
    return;
}
```

```
--
1.5.3.4
```
