
Subject: [PATCH 09/10] driver core: Implement tagged directory support for device classes.

Posted by [ebiederm](#) on Sat, 01 Dec 2007 09:33:11 GMT

[View Forum Message](#) <> [Reply to Message](#)

This patch enables tagging on every class directory if struct class has tag_ops.

In addition device_del and device_rename were modified to use sysfs_delete_link and sysfs_rename_link respectively to ensure when these operations happen on devices whose classes have tag_ops that they work properly.

Signed-off-by: Eric W. Biederman <ebiederm@xmission.com>

```
drivers/base/class.c | 30 ++++++-----  
drivers/base/core.c | 51 ++++++-----  
include/linux/device.h | 2 +  
3 files changed, 55 insertions(+), 28 deletions(-)
```

```
diff --git a/drivers/base/class.c b/drivers/base/class.c  
index c4f8843..ed9393d 100644  
--- a/drivers/base/class.c  
+++ b/drivers/base/class.c  
@@ -135,6 +135,17 @@ static void remove_class_attrs(struct class *cls)  
 }  
 }  
  
+static int class_setup_tagging(struct class *cls)  
+{  
+ const struct sysfs_tagged_dir_operations *tag_ops;  
+  
+ tag_ops = cls->tag_ops;  
+ if (!tag_ops)  
+ return 0;  
+  
+ return sysfs_enable_tagging(&cls->subsys.kobj, tag_ops);  
+}  
+  
int class_register(struct class *cls)  
{  
 int error;  
@@ -160,11 +171,22 @@ int class_register(struct class *cls)  
 cls->subsys.kobj.ktype = &class_ktype;  
  
 error = kset_register(&cls->subsys);  
- if (!error) {
```

```

- error = add_class_attrs(class_get(cls));
- class_put(cls);
- }
+ if (error)
+ goto out;
+
+ error = class_setup_tagging(cls);
+ if (error)
+ goto out_unregister;
+
+ error = add_class_attrs(cls);
+ if (error)
+ goto out_unregister;
+
+out:
    return error;
+out_unregister:
+ kset_unregister(&cls->subsys);
+ goto out;
}

void class_unregister(struct class * cls)
diff --git a/drivers/base/core.c b/drivers/base/core.c
index a2c3d4e..f9d3fcf 100644
--- a/drivers/base/core.c
+++ b/drivers/base/core.c
@@ @ -600,16 +600,20 @@ static struct kobject *get_device_parent(struct device *dev,
    return kobj;

 /* or create a new class-directory at the parent device */
- k = kobject_create(dev->class->name, parent_kobj);
- if (!k)
+bsr kobj = kobject_create(dev->class->name, parent_kobj);
+ if (!kobj)
    return NULL;
- k->kset = &dev->class->class_dirs;
- retval = kobject_register(k);
+ kobj->kset = &dev->class->class_dirs;
+ retval = kobject_register(kobj);
+ if (retval < 0) {
    if (retval < 0) {
- kfree(k);
+ kfree(kobj);
    return NULL;
}
- return k;
+ /* If we created a new class-directory setup tagging */
+ if (kobj && dev->class->tag_ops)
+ sysfs_enable_tagging(k, dev->class->tag_ops);

```

```

+
+ return kobj;
}

if (parent)
@@ -758,7 +762,8 @@ static void device_remove_class_symlinks(struct device *dev)

if (dev->kobj.parent != &dev->class->subsys.kobj &&
    dev->type != &part_type)
- sysfs_remove_link(&dev->class->subsys.kobj, dev->bus_id);
+ sysfs_delete_link(&dev->class->subsys.kobj,
+     &dev->kobj, dev->bus_id);
#else
if (dev->parent && dev->type != &part_type)
    sysfs_remove_link(&dev->kobj, "device");
@@ -1223,6 +1228,15 @@ int device_rename(struct device *dev, char *new_name)
    strlcpy(old_device_name, dev->bus_id, BUS_ID_SIZE);
    strlcpy(dev->bus_id, new_name, BUS_ID_SIZE);

+#ifndef CONFIG_SYSFS_DEPRECATED
+ if (dev->class && (dev->kobj.parent != &dev->class->subsys.kobj)) {
+     error = sysfs_rename_link(&dev->class->subsys.kobj,
+         &dev->kobj, old_device_name, new_name);
+     if (error)
+         goto out;
+ }
+#endif
+
error = kobject_rename(&dev->kobj, new_name);
if (error) {
    strlcpy(dev->bus_id, old_device_name, BUS_ID_SIZE);
@@ -1231,24 +1245,13 @@ int device_rename(struct device *dev, char *new_name)

#endif CONFIG_SYSFS_DEPRECATED
if (old_class_name) {
+ error = -ENOMEM;
    new_class_name = make_class_name(dev->class->name, &dev->kobj);
- if (new_class_name) {
-     error = sysfs_create_link(&dev->parent->kobj,
-         &dev->kobj, new_class_name);
-     if (error)
-         goto out;
-     sysfs_remove_link(&dev->parent->kobj, old_class_name);
- }
- }
-#else
- if (dev->class) {
-     sysfs_remove_link(&dev->class->subsys.kobj, old_device_name);

```

```
- error = sysfs_create_link(&dev->class->subsys.kobj, &dev->kobj,
-     dev->bus_id);
- if (error) {
-   dev_err(dev, "%s: sysfs_create_symlink failed (%d)\n",
-   __FUNCTION__, error);
- }
+ if (new_class_name)
+   error = sysfs_rename_link(&dev->parent->kobj,
+     &dev->kobj,
+     old_class_name,
+     new_class_name);
}
#endif
```

```
diff --git a/include/linux/device.h b/include/linux/device.h
index ed38712..80ba08f 100644
--- a/include/linux/device.h
+++ b/include/linux/device.h
@@ -187,6 +187,8 @@ struct class {
    int (*suspend)(struct device *, pm_message_t state);
    int (*resume)(struct device *);
+
+   const struct sysfs_tagged_dir_operations *tag_ops;
};

extern int __must_check class_register(struct class *);

--
```

1.5.3.rc6.17.g1911

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>
