
Subject: [PATCH] memory.swappiness

Posted by [yamamoto](#) on Mon, 03 Dec 2007 02:54:16 GMT

[View Forum Message](#) <> [Reply to Message](#)

here's a trivial patch to implement memory.swappiness,
which controls swappiness for cgroup memory reclamation.

it's against 2.6.24-rc3-mm2.

YAMAMOTO Takashi

Signed-off-by: YAMAMOTO Takashi <yamamoto@valinux.co.jp>

```
--- linux-2.6.24-rc3-mm2-swappiness/include/linux/memcontrol.h.BACKUP 2007-12-03
11:49:27.176669111 +0900
+++ linux-2.6.24-rc3-mm2-swappiness/include/linux/memcontrol.h 2007-12-03
10:00:29.049448425 +0900
@@ -46,6 +46,7 @@ extern void mem_cgroup_out_of_memory(str
extern int mem_cgroup_charge(struct page *page, struct mm_struct *mm,
    gfp_t gfp_mask);
int task_in_mem_cgroup(struct task_struct *task, const struct mem_cgroup *mem);
+extern int mem_cgroup_swappiness(struct mem_cgroup *mem);

static inline struct mem_cgroup *mm_cgroup(const struct mm_struct *mm)
{
--- linux-2.6.24-rc3-mm2-swappiness/mm/vmscan.c.BACKUP 2007-12-03 07:49:00.000000000
+0900
+++ linux-2.6.24-rc3-mm2-swappiness/mm/vmscan.c 2007-12-03 10:01:57.559803379 +0900
@@ -1030,7 +1030,7 @@ static int calc_reclaim_mapped(struct sc
/*
 * Max temporary value is vm_total_pages*100.
 */
- imbalance *= (vm_swappiness + 1);
+ imbalance *= (sc->swappiness + 1);
imbalance /= 100;

/*
@@ -1445,7 +1445,7 @@ unsigned long try_to_free_mem_cgroup_pag
.may_writepage = !laptop_mode,
.may_swap = 1,
.swap_cluster_max = SWAP_CLUSTER_MAX,
-.swappiness = vm_swappiness,
+.swappiness = mem_cgroup_swappiness(mem_cont),
.order = 0,
.mem_cgroup = mem_cont,
.isolate_pages = mem_cgroup_isolate_pages,
```

```

--- linux-2.6.24-rc3-mm2-swappiness/mm/memcontrol.c.BACKUP 2007-12-03
07:49:00.000000000 +0900
+++ linux-2.6.24-rc3-mm2-swappiness/mm/memcontrol.c 2007-12-03 11:22:40.157163781 +0900
@@ -133,6 +133,7 @@ struct mem_cgroup {

    unsigned long control_type; /* control RSS or RSS+Pagecache */
    int prev_priority; /* for recording reclaim priority */
+   unsigned int swappiness; /* swappiness */
    /*
     * statistics.
     */
@@ -1077,7 +1078,23 @@ static int mem_control_stat_open(struct
    return single_open(file, mem_control_stat_show, cont);
}

+static int mem_cgroup_swappiness_write(struct cgroup *cont, struct cftype *cft,
+   u64 val)
+{
+   struct mem_cgroup *mem = mem_cgroup_from_cont(cont);
+
+   if (val > 100)
+   return -EINVAL;
+   mem->swappiness = val;
+   return 0;
+}
+
+static u64 mem_cgroup_swappiness_read(struct cgroup *cont, struct cftype *cft)
+{
+   struct mem_cgroup *mem = mem_cgroup_from_cont(cont);
+
+   return mem->swappiness;
+}

static struct cftype mem_cgroup_files[] = {
{
@@ -1110,8 +1127,21 @@ static struct cftype mem_cgroup_files[]
    .name = "stat",
    .open = mem_control_stat_open,
},
+
{
+   .name = "swappiness",
+   .write_uint = mem_cgroup_swappiness_write,
+   .read_uint = mem_cgroup_swappiness_read,
+ },
};

+/* XXX probably it's better to move try_to_free_mem_cgroup_pages to
+   memcontrol.c and kill this */

```

```
+int mem_cgroup_swappiness(struct mem_cgroup *mem)
+{
+
+ return mem->swappiness;
+}
+
static int alloc_mem_cgroup_per_zone_info(struct mem_cgroup *mem, int node)
{
    struct mem_cgroup_per_node *pn;
@@ -1155,6 +1185,8 @@ mem_cgroup_create(struct cgroup_subsys *
    res_counter_init(&mem->res);

    mem->control_type = MEM_CGROUP_TYPE_ALL;
+    mem->swappiness = 60; /* XXX probably should inherit a value from
+        either parent cgroup or global vm_swappiness */
    memset(&mem->info, 0, sizeof(mem->info));

    for_each_node_state(node, N_POSSIBLE)
```

Containers mailing list

Containers@lists.linux-foundation.org

<https://lists.linux-foundation.org/mailman/listinfo/containers>
