
Subject: [RFC][for -mm] memory controller enhancements for reclaiming take2 [2/8]
add BUG_ON() in mem_cgroup_
Posted by [KAMEZAWA Hiroyuki](#) on Mon, 03 Dec 2007 09:36:12 GMT
[View Forum Message](#) <> [Reply to Message](#)

This should be BUG_ON(). I misunderstood initialization path.

Signed-off-by: KAMEZAWA Hiroyuki <kamezawa.hiroyu@jp.fujitsu.com>

mm/memcontrol.c | 3 +-
1 file changed, 1 insertion(+), 2 deletions(-)

Index: linux-2.6.24-rc3-mm2/mm/memcontrol.c

```
=====
--- linux-2.6.24-rc3-mm2.orig/mm/memcontrol.c
+++ linux-2.6.24-rc3-mm2/mm/memcontrol.c
@@ -206,8 +206,7 @@ static void mem_cgroup_charge_statistics
 static inline struct mem_cgroup_per_zone *
mem_cgroup_zoneinfo(struct mem_cgroup *mem, int nid, int zid)
{
- if (!mem->info.nodeinfo[nid])
- return NULL;
+ BUG_ON(!mem->info.nodeinfo[nid]);
 return &mem->info.nodeinfo[nid]->zoneinfo[zid];
}
```

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>
