
Subject: [RFC][for -mm] memory controller enhancements for reclaiming take2 [3/8]
define free_mem_cgroup_per_

Posted by KAMEZAWA Hiroyuki on Mon, 03 Dec 2007 09:37:19 GMT

[View Forum Message](#) <> [Reply to Message](#)

Now allocation of per_zone of mem_controller is done by
alloc_mem_cgroup_per_zone_info(). Then it will be good to use
free_mem_cgroup_per_zone_info() for maintainance.

Signed-off-by: KAMEZAWA Hiroyuki <kamezawa.hiroyu@jp.fujitsu.com>

mm/memcontrol.c | 9 ++++++--
1 file changed, 7 insertions(+), 2 deletions(-)

Index: linux-2.6.24-rc3-mm2/mm/memcontrol.c

```
=====
--- linux-2.6.24-rc3-mm2.orig/mm/memcontrol.c
+++ linux-2.6.24-rc3-mm2/mm/memcontrol.c
@@ -1141,6 +1141,11 @@ static int alloc_mem_cgroup_per_zone_inf
    return 0;
}

+static void free_mem_cgroup_per_zone_info(struct mem_cgroup *mem, int node)
+{
+    kfree(mem->info.nodeinfo[node]);
+
+static struct mem_cgroup init_mem_cgroup;

@@ -1171,7 +1176,7 @@ mem_cgroup_create(struct cgroup_subsys *
    return &mem->css;
free_out:
    for_each_node_state(node, N_POSSIBLE)
-    kfree(mem->info.nodeinfo[node]);
+    free_mem_cgroup_per_zone_info(mem, node);
    if (cont->parent != NULL)
        kfree(mem);
    return NULL;
@@ -1191,7 +1196,7 @@ static void mem_cgroup_destroy(struct cg
    struct mem_cgroup *mem = mem_cgroup_from_cont(cont);

    for_each_node_state(node, N_POSSIBLE)
-    kfree(mem->info.nodeinfo[node]);
+    free_mem_cgroup_per_zone_info(mem, node);

    kfree(mem_cgroup_from_cont(cont));
```

}

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>
