

---

Subject: [patch 14/38][IPV6] ip6\_fib - make fib6\_clean\_all per namespace

Posted by [Daniel Lezcano](#) on Mon, 03 Dec 2007 16:16:50 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

The function fib6\_clean\_all takes the network namespace as parameter. This is useful for example to flush the routes related to a specific network namespace.

Signed-off-by: Daniel Lezcano <dlezcano@fr.ibm.com>

Signed-off-by: Benjamin Thery <benjamin.thery@bull.net>

---

```
include/net/ip6_fib.h | 3 +-
net/ipv6/ip6_fib.c    | 7 +++++
net/ipv6/route.c      | 22 +++++++++++++++++++++
3 files changed, 23 insertions(+), 9 deletions(-)
```

Index: linux-2.6-netns/include/net/ip6\_fib.h

=====

--- linux-2.6-netns.orig/include/net/ip6\_fib.h

+++ linux-2.6-netns/include/net/ip6\_fib.h

```
@@ -207,7 +207,8 @@ struct fib6_node *fib6_locate(struct fi
     struct in6_addr *daddr, int dst_len,
     struct in6_addr *saddr, int src_len);
```

```
-extern void fib6_clean_all(int (*func)(struct rt6_info *, void *arg),
+extern void fib6_clean_all(struct net *net,
+    int (*func)(struct rt6_info *, void *arg),
+    int prune, void *arg);
```

```
extern int fib6_add(struct fib6_node *root,
```

Index: linux-2.6-netns/net/ipv6/ip6\_fib.c

=====

--- linux-2.6-netns.orig/net/ipv6/ip6\_fib.c

+++ linux-2.6-netns/net/ipv6/ip6\_fib.c

```
@@ -1354,7 +1354,7 @@ static void fib6_clean_tree(struct fib6_
     fib6_walk(&c.w);
 }
```

```
-void fib6_clean_all(int (*func)(struct rt6_info *, void *arg),
+void fib6_clean_all(struct net *net, int (*func)(struct rt6_info *, void *arg),
+    int prune, void *arg)
```

```
{
    struct fib6_table *table;
@@ -1364,7 +1364,7 @@ void fib6_clean_all(int (*func)(struct r
```

```
    rcu_read_lock();
    for (h = 0; h < FIB_TABLE_HASHSZ; h++) {
-    head = &init_net.fib_table_hash[h];
```

```
+ head = &net->fib_table_hash[h];
  hlist_for_each_entry_rcu(table, node, head, tb6_hlist) {
    write_lock_bh(&table->tb6_lock);
    fib6_clean_tree(&table->tb6_root, func, prune, arg);
@@ -1453,7 +1453,8 @@ void fib6_run_gc(unsigned long dummy)
  gc_args.more = 0;
```

```
  ndisc_dst_gc(&gc_args.more);
- fib6_clean_all(fib6_age, 0, NULL);
```

```
+
+ fib6_clean_all(&init_net, fib6_age, 0, NULL);
```

```
  if (gc_args.more)
    mod_timer(&ip6_fib_timer, jiffies + ip6_rt_gc_interval);
```

```
Index: linux-2.6-netns/net/ipv6/route.c
```

```
=====
```

```
--- linux-2.6-netns.orig/net/ipv6/route.c
```

```
+++ linux-2.6-netns/net/ipv6/route.c
```

```
@@ -1876,7 +1876,7 @@ static int fib6_ifdown(struct rt6_info *
```

```
void rt6_ifdown(struct net_device *dev)
{
- fib6_clean_all(fib6_ifdown, 0, dev);
+ fib6_clean_all(dev->nd_net, fib6_ifdown, 0, dev);
}
```

```
struct rt6_mtu_change_arg
@@ -1932,7 +1932,7 @@ void rt6_mtu_change(struct net_device *d
  .mtu = mtu,
};
```

```
- fib6_clean_all(rt6_mtu_change_route, 0, &arg);
+ fib6_clean_all(dev->nd_net, rt6_mtu_change_route, 0, &arg);
}
```

```
static const struct nla_policy rtm_ipv6_policy[RTA_MAX+1] = {
@@ -2318,13 +2318,25 @@ static int rt6_info_route(struct rt6_inf
```

```
static int ipv6_route_show(struct seq_file *m, void *v)
{
- fib6_clean_all(rt6_info_route, 0, m);
+ struct net *net = (struct net *)m->private;
+ fib6_clean_all(net, rt6_info_route, 0, m);
  return 0;
}
```

```
static int ipv6_route_open(struct inode *inode, struct file *file)
{
```

```

- return single_open(file, ipv6_route_show, NULL);
+ struct net *net = get_proc_net(inode);
+ if (!net)
+ return -ENXIO;
+ return single_open(file, ipv6_route_show, net);
+}
+
+static int ipv6_route_release(struct inode *inode, struct file *file)
+{
+ struct seq_file *seq = file->private_data;
+ struct net *net = seq->private;
+ put_net(net);
+ return single_release(inode, file);
+}

static const struct file_operations ipv6_route_proc_fops = {
@@ -2332,7 +2344,7 @@ static const struct file_operations ipv6
 .open = ipv6_route_open,
 .read = seq_read,
 .llseek = seq_lseek,
- .release = single_release,
+ .release = ipv6_route_release,
};

static int rt6_stats_seq_show(struct seq_file *seq, void *v)

--

```

---

Containers mailing list  
Containers@lists.linux-foundation.org  
<https://lists.linux-foundation.org/mailman/listinfo/containers>

---