
Subject: [patch 10/38][IPV6] ip6_fib - make mindless changes
Posted by [Daniel Lezcano](#) on Mon, 03 Dec 2007 16:16:46 GMT
[View Forum Message](#) <> [Reply to Message](#)

This patch changes all references to the static global variables fib6_main_tbl and fib6_local_tbl by a pointer. That provides the minimal changes to dynamically allocate these tables for the network namespaces.

Signed-off-by: Daniel Lezcano <dlezcano@fr.ibm.com>
Signed-off-by: Benjamin Thery <benjamin.thery@bull.net>

net/ipv6/ip6_fib.c | 18 ++++++++-----
1 file changed, 11 insertions(+), 7 deletions(-)

Index: linux-2.6-netns/net/ipv6/ip6_fib.c

```
=====
--- linux-2.6-netns.orig/net/ipv6/ip6_fib.c
+++ linux-2.6-netns/net/ipv6/ip6_fib.c
@@ -166,7 +166,7 @@ static __inline__ void rt6_release(struct
     dst_free(&rt->u.dst);
 }

-static struct fib6_table fib6_main_tbl = {
+static struct fib6_table __fib6_main_tbl = {
     .tb6_id = RT6_TABLE_MAIN,
     .tb6_root = {
         .leaf = &ip6_null_entry,
@@ -174,6 +174,8 @@ static struct fib6_table fib6_main_tbl =
     },
 };

+static struct fib6_table *fib6_main_tbl = &__fib6_main_tbl;
+
#ifdef CONFIG_IPV6_MULTIPLE_TABLES
#define FIB_TABLE_HASHSZ 256
#else
@@ -201,7 +203,7 @@ static void fib6_link_table(struct fib6_
 }

#ifdef CONFIG_IPV6_MULTIPLE_TABLES
-static struct fib6_table fib6_local_tbl = {
+static struct fib6_table __fib6_local_tbl = {
     .tb6_id = RT6_TABLE_LOCAL,
     .tb6_root = {
         .leaf = &ip6_null_entry,
@@ -209,6 +211,8 @@ static struct fib6_table fib6_local_tbl
     },

```

```

};

+static struct fib6_table *fib6_local_tbl = &__fib6_local_tbl;
+
static struct fib6_table *fib6_alloc_table(u32 id)
{
    struct fib6_table *table;
@@@ -263,8 +267,8 @@ struct fib6_table *fib6_get_table(u32 id

static void __init fib6_tables_init(void)
{
- fib6_link_table(&fib6_main_tbl);
- fib6_link_table(&fib6_local_tbl);
+ fib6_link_table(fib6_main_tbl);
+ fib6_link_table(fib6_local_tbl);
}

#else
@@@ -276,18 +280,18 @@ struct fib6_table *fib6_new_table(u32 id

struct fib6_table *fib6_get_table(u32 id)
{
- return &fib6_main_tbl;
+ return fib6_main_tbl;
}

struct dst_entry *fib6_rule_lookup(struct flowi *fl, int flags,
    pol_lookup_t lookup)
{
- return (struct dst_entry *) lookup(&fib6_main_tbl, fl, flags);
+ return (struct dst_entry *) lookup(fib6_main_tbl, fl, flags);
}

static void __init fib6_tables_init(void)
{
- fib6_link_table(&fib6_main_tbl);
+ fib6_link_table(fib6_main_tbl);
}

#endif

--

```

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>
