Subject: Re: sysctl -p issue
Posted by soptom on Mon, 03 Dec 2007 18:23:27 GMT
View Forum Message <> Reply to Message

[root@master2 ~]# cat /proc/sys/net/ipv4/ip_forward
0
HARDWARE NODE
[root@master2 ~]# ip a l
2: lo: <LOOPBACK,UP,LOWER_UP> mtu 16436 qdisc noqueue
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
    inet6 ::1/128 scope host
       valid_lft forever preferred_lft forever
4: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc pfifo_fast qlen 1000
    link/ether 00:02:b3:b7:29:75 brd ff:ff:ff:ff:ff:ff
    inet 91.194.90.25/25 brd 91.194.90.127 scope global eth0
    inet6 fe80::202:b3ff:feb7:2975/64 scope link
       valid_lft forever preferred_lft forever
6: sit0: <NOARP> mtu 1480 qdisc noop
    link/sit 0.0.0.0 brd 0.0.0.0
1: venet0: <BROADCAST,POINTOPOINT,NOARP,UP,LOWER_UP> mtu 1500 qdisc noqueue
    link/void
[root@master2 ~]# ip r l
91.194.90.126 dev venet0 scope link
91.194.90.0/25 dev eth0 proto kernel scope link src 91.194.90.25
169.254.0.0/16 dev eth0 scope link
default via 91.194.90.1 dev eth0

VE

[root@fc6 /]# ip a l
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 16436 qdisc noqueue
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
    inet6 ::1/128 scope host
       valid_lft forever preferred_lft forever
3: venet0: <BROADCAST,POINTOPOINT,NOARP,UP,LOWER_UP> mtu 1500 qdisc noqueue
    link/void
    inet 127.0.0.1/32 scope host venet0
    inet 91.194.90.126/32 brd 91.194.90.126 scope global venet0:0
[root@fc6 /]# ip r l
192.0.2.0/24 dev venet0 scope host
169.254.0.0/16 dev venet0 scope link
default via 192.0.2.1 dev venet0

HARDWARE NODE
iptables commands and results attached with files named iptables1.txt and iptables2.txt

File Attachments

1) iptables1.txt, downloaded 441 times
2) iptables2.txt, downloaded 478 times