Subject: Re: [PATCH 1/7][QUOTA] Move sysctl management code under ifdef CONFIG_SYSCTL

Posted by Pavel Emelianov on Tue, 04 Dec 2007 08:58:30 GMT

View Forum Message <> Reply to Message

```
Andrew Morton wrote:
> On Fri, 30 Nov 2007 16:02:50 +0300
> Pavel Emelyanov < xemul@openvz.org> wrote:
>> This includes the tables themselves and the call to the
>> register_sysctl_table(). Since this call is done from the __init
>> call, I hope this is OK to keep the #ifdef inside the function,
>> rather than making proper helpers outside it.
>>
>> Signed-off-by: Pavel Emelyanov <xemul@openvz.org>
>> ---
>>
>> diff --git a/fs/dquot.c b/fs/dquot.c
>> index 50e7c2a..efee14d 100644
>> --- a/fs/dquot.c
>> +++ b/fs/dquot.c
>> @ @ -1821,6 +1821,7 @ @ struct quotactl_ops vfs_quotactl_ops = {
>> .set dablk = vfs set dablk
>> };
>>
>> +#ifdef CONFIG_SYSCTL
>> static ctl_table fs_dqstats_table[] = {
>> {
    .ctl_name = FS_DQ_LOOKUPS,
>> @ @ -1918,6 +1919,7 @ @ static ctl table sys table[] = {
>> },
   { .ctl_name = 0 },
>>
>> };
>> +#endif
>> static int __init dquot_init(void)
>> {
>> @ @ -1926,7 +1928,9 @ @ static int __init dquot_init(void)
>>
    printk(KERN NOTICE "VFS: Disk guotas %s\n", DQUOT VERSION );
>>
>> +#ifdef CONFIG SYSCTL
>> register_sysctl_table(sys_table);
>> +#endif
>>
    dquot cachep = kmem cache create("dquot",
>>
     sizeof(struct dquot), sizeof(unsigned long) * 4,
>>
```

> > We should avoid the ifdefs around the register_sysctl_table() call. >
 At present the !CONFIG_SYSCTL implementation of register_sysctl_table() is a non-inlined NULL-returning stub. All we have to do is to inline that stub then these ifdefs can go away.
What if some code checks for the return value to be not-NULL? In case CONFIG_SYSCTL=n this code will always think, that the registration failed.
<pre>> The same applies to register_sysctl_paths().</pre>
If that's all agreeable then there isn't a lot of point in me merging theseseven patches.
> > > > > > > > > > > > > > > > > > >
> btw, administrivia detail: please don't put the patch's subsystem > identifier in []. IOW, this:
> Subject: [PATCH 1/7][QUOTA] Move sysctl management code under ifdef CONFIG_SYSCTL > should have been
> Should have been
> Subject: [PATCH 1/7] quota: move sysctl management code under ifdef CONFIG_SYSCTL >
> for reasons described in section 2 of > http://www.zip.com.au/~akpm/linux/patches/stuff/tpp.txt.
OK. I saw people marking subsystems in this way in netdev tree and though it was a common practice.
> Thanks.
Thanks, Pavel