

---

Subject: [PATCH net-2.6.25 6/11][CORE] Remove the empty net\_table  
Posted by Pavel Emelianov on Tue, 04 Dec 2007 10:10:01 GMT

[View Forum Message](#) <[Reply to Message](#)

---

I have removed all the entries from this table (core\_table, ipv4\_table and tr\_table), so now we can safely drop it.

Signed-off-by: Pavel Emelyanov <xemul@openvz.org>

---

```
diff --git a/include/linux/net.h b/include/linux/net.h
index f95f12c..c414d90 100644
--- a/include/linux/net.h
+++ b/include/linux/net.h
@@ -337,7 +337,6 @@ static const struct proto_ops name##_ops = { \
#endif CONFIG_SYSCTL
#include <linux/sysctl.h>
-extern ctl_table net_table[];
extern int net_msg_cost;
extern int net_msg_burst;
#endif
diff --git a/kernel/sysctl.c b/kernel/sysctl.c
index 946a01c..894a177 100644
--- a/kernel/sysctl.c
+++ b/kernel/sysctl.c
@@ -199,14 +199,6 @@ static struct ctl_table root_table[] = {
    .mode = 0555,
    .child = vm_table,
},
#ifndef CONFIG_NET
{
- .ctl_name = CTL_NET,
- .procname = "net",
- .mode = 0555,
- .child = net_table,
- },
#endif
{
    .ctl_name = CTL_FS,
    .procname = "fs",
diff --git a/net/sysctl_net.c b/net/sysctl_net.c
index 16ad14b..665e856 100644
--- a/net/sysctl_net.c
+++ b/net/sysctl_net.c
@@ -30,10 +30,6 @@
#include <linux/if_tr.h>
```

```
#endif

-struct ctl_table net_table[] = {
- { 0 },
-};

static struct list_head *
net_ctl_header_lookup(struct ctl_table_root *root, struct nsproxy *namespaces)
{
--
```

1.5.3.4

---