
Subject: Re: [RFC][for -mm] memory controller enhancements for reclaiming take2
[2/8] add BUG_ON() in mem_cgr
Posted by [Balbir Singh](#) on Tue, 04 Dec 2007 16:01:32 GMT
[View Forum Message](#) <> [Reply to Message](#)

KAMEZAWA Hiroyuki wrote:

```
> This should be BUG_ON(). I misunderstood initialization path.  
>  
> Signed-off-by: KAMEZAWA Hiroyuki <kamezawa.hiroyu@jp.fujitsu.com>  
>  
> mm/memcontrol.c | 3 +--  
> 1 file changed, 1 insertion(+), 2 deletions(-)  
>  
> Index: linux-2.6.24-rc3-mm2/mm/memcontrol.c  
> =====  
> --- linux-2.6.24-rc3-mm2.orig/mm/memcontrol.c  
> +++ linux-2.6.24-rc3-mm2/mm/memcontrol.c  
> @@ -206,8 +206,7 @@ static void mem_cgroup_charge_statistics  
> static inline struct mem_cgroup_per_zone *  
> mem_cgroup_zoneinfo(struct mem_cgroup *mem, int nid, int zid)  
> {  
> - if (!mem->info.nodeinfo[nid])  
> - return NULL;  
> + BUG_ON(!mem->info.nodeinfo[nid]);  
> return &mem->info.nodeinfo[nid]->zoneinfo[zid];  
> }  
>  
>
```

Acked-by: Balbir Singh <balbir@linux.vnet.ibm.com>

--

Warm Regards,
Balbir Singh
Linux Technology Center
IBM, ISTL

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>
