
Subject: [PATCH 2.6.25] multiple namespaces in the all dst_ifdown routines
Posted by [den](#) on Thu, 06 Dec 2007 12:17:19 GMT

[View Forum Message](#) <> [Reply to Message](#)

move dst entries to a namespace loopback to catch refcounting leaks.

Signed-off-by: Denis V. Lunev <den@openvz.org>

```
net/core/dst.c      |  4 +---  
net/ipv4/route.c   |  5 +----  
net/ipv4/xfrm4_policy.c |  3 ++-  
net/ipv6/route.c   |  7 +++++--  
net/ipv6/xfrm6_policy.c |  3 +-+  
net/xfrm/xfrm_policy.c |  2 +-  
6 files changed, 15 insertions(+), 9 deletions(-)
```

```
diff --git a/net/core/dst.c b/net/core/dst.c
```

```
index f538061..5c6cf4 100644
```

```
--- a/net/core/dst.c
```

```
+++ b/net/core/dst.c
```

```
@@@ -279,11 +279,11 @@@ static inline void dst_ifdown(struct dst_entry *dst, struct net_device *dev,
```

```
    if (!unregister) {
```

```
        dst->input = dst->output = dst_discard;
```

```
    } else {
```

```
        - dst->dev = init_net.loopback_dev;
```

```
        + dst->dev = dst->dev->nd_net->loopback_dev;
```

```
        dev_hold(dst->dev);
```

```
        dev_put(dev);
```

```
        if (dst->neighbour && dst->neighbour->dev == dev) {
```

```
        - dst->neighbour->dev = init_net.loopback_dev;
```

```
        + dst->neighbour->dev = dst->dev;
```

```
        dev_put(dev);
```

```
        dev_hold(dst->neighbour->dev);
```

```
}
```

```
diff --git a/net/ipv4/route.c b/net/ipv4/route.c
```

```
index dae1290..e4aa97e 100644
```

```
--- a/net/ipv4/route.c
```

```
+++ b/net/ipv4/route.c
```

```
@@@ -1425,8 +1425,9 @@@ static void ipv4_dst_ifdown(struct dst_entry *dst, struct net_device *dev,
```

```
{
```

```
    struct rtable *rt = (struct rtable *) dst;
```

```
    struct in_device *idev = rt->idev;
```

```
- if (dev != init_net.loopback_dev && idev && idev->dev == dev) {
```

```
-     struct in_device *loopback_idev = in_dev_get(init_net.loopback_dev);
```

```
+ if (dev != dev->nd_net->loopback_dev && idev && idev->dev == dev) {
```

```
+     struct in_device *loopback_idev =
```

```

+ in_dev_get(dev->nd_net->loopback_dev);
if (loopback_idev) {
    rt->idev = loopback_idev;
    in_dev_put(idev);
diff --git a/net/ipv4/xfrm4_policy.c b/net/ipv4/xfrm4_policy.c
index 19fdf8a..e086260 100644
--- a/net/ipv4/xfrm4_policy.c
+++ b/net/ipv4/xfrm4_policy.c
@@@ -216,7 +216,8 @@ static void xfrm4_dst_ifdown(struct dst_entry *dst, struct net_device
*dev,
xdst = (struct xfrm_dst *)dst;
if (xdst->u.rt.idev->dev == dev) {
- struct in_device *loopback_idev = in_dev_get(init_net.loopback_dev);
+ struct in_device *loopback_idev =
+ in_dev_get(dev->nd_net->loopback_dev);
BUG_ON(!loopback_idev);

do {
diff --git a/net/ipv6/route.c b/net/ipv6/route.c
index e36cac9..e757a3c 100644
--- a/net/ipv6/route.c
+++ b/net/ipv6/route.c
@@@ -216,9 +216,12 @@ static void ip6_dst_ifdown(struct dst_entry *dst, struct net_device *dev,
{
    struct rt6_info *rt = (struct rt6_info *)dst;
    struct inet6_dev *idev = rt->rt6i_idev;
+ struct net_device *loopback_dev =
+ dev->nd_net->loopback_dev;

- if (dev != init_net.loopback_dev && idev != NULL && idev->dev == dev) {
- struct inet6_dev *loopback_idev = in6_dev_get(init_net.loopback_dev);
+ if (dev != loopback_dev && idev != NULL && idev->dev == dev) {
+ struct inet6_dev *loopback_idev =
+ in6_dev_get(loopback_dev);
    if (loopback_idev != NULL) {
        rt->rt6i_idev = loopback_idev;
        in6_dev_put(idev);
diff --git a/net/ipv6/xfrm6_policy.c b/net/ipv6/xfrm6_policy.c
index cc0d151..7b360ea 100644
--- a/net/ipv6/xfrm6_policy.c
+++ b/net/ipv6/xfrm6_policy.c
@@@ -233,7 +233,8 @@ static void xfrm6_dst_ifdown(struct dst_entry *dst, struct net_device
*dev,
xdst = (struct xfrm_dst *)dst;
if (xdst->u.rt6.rt6i_idev->dev == dev) {
- struct inet6_dev *loopback_idev = in6_dev_get(init_net.loopback_dev);

```

```
+ struct inet6_dev *loopback_idev =  
+ in6_dev_get(dev->nd_net->loopback_dev);  
BUG_ON(!loopback_idev);  
  
do {  
diff --git a/net/xfrm/xfrm_policy.c b/net/xfrm/xfrm_policy.c  
index a9ac748..900f6b6 100644  
--- a/net/xfrm/xfrm_policy.c  
+++ b/net/xfrm/xfrm_policy.c  
@@ -1932,7 +1932,7 @@ static int stale_bundle(struct dst_entry *dst)  
void xfrm_dst_ifdown(struct dst_entry *dst, struct net_device *dev)  
{  
    while ((dst = dst->child) && dst->xfrm && dst->dev == dev) {  
-    dst->dev = init_net.loopback_dev;  
+    dst->dev = dev->nd_net->loopback_dev;  
    dev_hold(dst->dev);  
    dev_put(dev);  
}  
--
```

1.5.3.rc5
