

---

Posted by [atshellnick](#) on Mon, 10 Dec 2007 15:57:42 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

```
/dev/cciss/c0d0p3 on / type ext3 (rw,noatime)
proc on /proc type proc (rw)
sysfs on /sys type sysfs (rw,nosuid,nodev,noexec)
udev on /dev type tmpfs (rw,nosuid)
devpts on /dev/pts type devpts (rw,nosuid,noexec)
/dev/cciss/c0d0p5 on /home type ext3 (rw,noatime)
/dev/cciss/c0d0p6 on /var type ext3 (rw,noatime)
/dev/cciss/c0d0p7 on /usr type ext3 (rw,noatime)
/dev/cciss/c0d0p8 on /vz type ext3 (rw,noatime)
shm on /dev/shm type tmpfs (rw,noexec,nosuid,nodev)
usbfs on /proc/bus/usb type usbfs (rw,noexec,nosuid,devmode=0664,devgid=85)
```

...

22:56:47@~ #-> free -m

	total	used	free	shared	buffers	cached
Mem:	6077	3239	2837		0	116
-/+ buffers/cache:		791	5286			
Swap:	7634	0	7634			

NB!

ps axl | grep " D"

F	UID	PID	PPID	PRI	NI	VSZ	RSS	WCHAN	STAT	TTY	TIME	COMMAND
1	60	27286	26954	16	0	417032	125420	sync_p	D ?		0:00	/usr/sbin/mysqld --defaults-file=/etc/mysql/my.cnf --basedir=/usr --datadir=/var/lib/mysql --pid-file=/var/run/mysqld/mysqld.pid --socket=/var/run/mysqld/mysqld.sock
1	60	27296	26954	16	0	417032	125420	sync_p	D ?		0:00	/usr/sbin/mysqld --defaults-file=/etc/mysql/my.cnf --basedir=/usr --datadir=/var/lib/mysql --pid-file=/var/run/mysqld/mysqld.pid --socket=/var/run/mysqld/mysqld.sock
1	60	27388	26954	16	0	417032	125420	sync_p	D ?		0:00	/usr/sbin/mysqld --defaults-file=/etc/mysql/my.cnf --basedir=/usr --datadir=/var/lib/mysql --pid-file=/var/run/mysqld/mysqld.pid --socket=/var/run/mysqld/mysqld.sock
1	60	27447	26954	16	0	417032	125420	sync_p	D ?		0:00	/usr/sbin/mysqld --defaults-file=/etc/mysql/my.cnf --basedir=/usr --datadir=/var/lib/mysql --pid-file=/var/run/mysqld/mysqld.pid --socket=/var/run/mysqld/mysqld.sock
1	60	29037	26954	18	0	416700	125300	sync_p	D ?		0:00	/usr/sbin/mysqld --defaults-file=/etc/mysql/my.cnf --basedir=/usr --datadir=/var/lib/mysql --pid-file=/var/run/mysqld/mysqld.pid --socket=/var/run/mysqld/mysqld.sock
1	60	29072	26954	16	0	416700	125304	sync_p	D ?		0:00	/usr/sbin/mysqld --defaults-file=/etc/mysql/my.cnf --basedir=/usr --datadir=/var/lib/mysql --pid-file=/var/run/mysqld/mysqld.pid --socket=/var/run/mysqld/mysqld.sock
1	60	29090	26954	18	0	416700	125304	sync_p	D ?		0:00	/usr/sbin/mysqld --defaults-file=/etc/mysql/my.cnf --basedir=/usr --datadir=/var/lib/mysql --pid-file=/var/run/mysqld/mysqld.pid --socket=/var/run/mysqld/mysqld.sock
1	60	29101	26954	16	0	416700	125308	sync_p	D ?		0:00	/usr/sbin/mysqld --defaults-file=/etc/mysql/my.cnf --basedir=/usr --datadir=/var/lib/mysql --pid-file=/var/run/mysqld/mysqld.pid --socket=/var/run/mysqld/mysqld.sock



```
1 60 29382 26954 16 0 416700 125428 sync_p D ? 0:00 /usr/sbin/mysqld
--defaults-file=/etc/mysql/my.cnf --basedir=/usr --datadir=/var/lib/mysql
--pid-file=/var/run/mysqld/mysqld.pid --socket=/var/run/mysqld/mysqld.sock
1 60 29465 26954 16 0 416700 125432 sync_p D ? 0:00 /usr/sbin/mysqld
--defaults-file=/etc/mysql/my.cnf --basedir=/usr --datadir=/var/lib/mysql
--pid-file=/var/run/mysqld/mysqld.pid --socket=/var/run/mysqld/mysqld.sock
1 60 29476 26954 18 0 416700 125432 sync_p D ? 0:00 /usr/sbin/mysqld
--defaults-file=/etc/mysql/my.cnf --basedir=/usr --datadir=/var/lib/mysql
--pid-file=/var/run/mysqld/mysqld.pid --socket=/var/run/mysqld/mysqld.sock
1 60 29497 26954 16 0 416700 125432 sync_p D ? 0:00 /usr/sbin/mysqld
--defaults-file=/etc/mysql/my.cnf --basedir=/usr --datadir=/var/lib/mysql
--pid-file=/var/run/mysqld/mysqld.pid --socket=/var/run/mysqld/mysqld.sock
```

...

PS:

---