
Subject: [PATCH 2.6.25] netns: struct net content re-work

Posted by [den](#) on Mon, 10 Dec 2007 16:35:45 GMT

[View Forum Message](#) <> [Reply to Message](#)

Recently David Miller and Herbert Xu pointed out that struct net becomes overbloated and un-maintainable. There are two solutions:

- provide a pointer to a network subsystem definition from struct net.
This costs an additional dereference
- place sub-system definition into the structure itself. This will speedup run-time access at the cost of recompilation time

The second approach looks better for us. Other sub-systems will be converted to this approach if this will be accepted :)

Signed-off-by: Denis V. Lunev <den@openvz.org>

```
diff --git a/include/net/net_namespace.h b/include/net/net_namespace.h
index b62e31f..f60e1ce 100644
```

```
--- a/include/net/net_namespace.h
+++ b/include/net/net_namespace.h
@@ -8,6 +8,8 @@
#include <linux/workqueue.h>
#include <linux/list.h>
```

```
+#include <net/netns/unix.h>
+
struct proc_dir_entry;
struct net_device;
struct sock;
@@ -46,8 +48,7 @@ struct net {
    struct hlist_head packet_sklist;
```

```
/* unix sockets */
- int sysctl_unix_max_dgram_qlen;
- struct ctl_table_header *unix_ctl;
+ struct netns_unix unx;
};
```

#ifdef CONFIG_NET

```
diff --git a/include/net/netns/unix.h b/include/net/netns/unix.h
```

new file mode 100644

index 0000000..27b4e7f

```
--- /dev/null
+++ b/include/net/netns/unix.h
@@ -0,0 +1,13 @@
+/*
+ * Unix network namespace
+ */
```

```

+#ifndef __NETNS_UNIX_H__
#define __NETNS_UNIX_H__
+
+struct ctl_table_header;
+struct netns_unix {
+ int sysctl_unix_max_dgram_qlen;
+ struct ctl_table_header *unix_ctl;
+};
+
+#endif /* __NETNS_UNIX_H__ */
diff --git a/net/unix/af_unix.c b/net/unix/af_unix.c
index b8a2189..06f7ec8 100644
--- a/net/unix/af_unix.c
+++ b/net/unix/af_unix.c
@@ -592,7 +592,7 @@ static struct sock * unix_create1(struct net *net, struct socket *sock)
    &af_unix_sk_receive_queue_lock_key);

sk->sk_write_space = unix_write_space;
- sk->sk_max_ack_backlog = net->sysctl_unix_max_dgram_qlen;
+ sk->sk_max_ack_backlog = net->unx.sysctl_unix_max_dgram_qlen;
sk->sk_destruct = unix_sock_destructor;
u = unix_sk(sk);
u->dentry = NULL;
@@ -2138,7 +2138,7 @@ static int unix_net_init(struct net *net)
{
int error = -ENOMEM;

- net->sysctl_unix_max_dgram_qlen = 10;
+ net->unx.sysctl_unix_max_dgram_qlen = 10;
if (unix_sysctl_register(net))
    goto out;

diff --git a/net/unix/sysctl_net_unix.c b/net/unix/sysctl_net_unix.c
index 553ef6a..fbddfb5 100644
--- a/net/unix/sysctl_net_unix.c
+++ b/net/unix/sysctl_net_unix.c
@@ -18,7 +18,7 @@ static ctl_table unix_table[] = {
{
    .ctl_name = NET_UNIX_MAX_DGRAM_QLEN,
    .procname = "max_dgram_qlen",
-   .data = &init_net.sysctl_unix_max_dgram_qlen,
+   .data = &init_net.unx.sysctl_unix_max_dgram_qlen,
    . maxlen = sizeof(int),
    .mode = 0644,
    .proc_handler = &proc_dointvec
@@ -40,9 +40,9 @@ int unix_sysctl_register(struct net *net)
if (table == NULL)
    goto err_alloc;

```

```
- table[0].data = &net->sysctl_unix_max_dgram_qlen;
- net->unix_ctl = register_net_sysctl_table(net, unix_path, table);
- if (net->unix_ctl == NULL)
+ table[0].data = &net->unx.sysctl_unix_max_dgram_qlen;
+ net->unx.unix_ctl = register_net_sysctl_table(net, unix_path, table);
+ if (net->unx.unix_ctl == NULL)
    goto err_reg;

    return 0;
@@ -57,8 +57,8 @@ void unix_sysctl_unregister(struct net *net)
{
    struct ctl_table *table;

- table = net->unix_ctl->ctl_table_arg;
- unregister_sysctl_table(net->unix_ctl);
+ table = net->unx.unix_ctl->ctl_table_arg;
+ unregister_sysctl_table(net->unx.unix_ctl);
    kfree(table);
}
```
