

---

Subject: [PATCH 6/9] pid: Implement pid\_in\_pid\_ns.  
Posted by [ebiederm](#) on Wed, 12 Dec 2007 12:49:17 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

Implement a simple check to see if a specified pid resides in a specified pid namespace. Generally we are smart enough just to operate on single pid namespace and avoid this test. However in the case of sending a signal to init we must check to see if our sender is a child of init and so this test is needed.

Signed-off-by: Eric W. Biederman <[ebiederm@xmission.com](mailto:ebiederm@xmission.com)>

---

```
include/linux/pid.h | 3 +++
kernel/pid.c       | 6 ++++++
2 files changed, 9 insertions(+), 0 deletions(-)
```

```
diff --git a/include/linux/pid.h b/include/linux/pid.h
index c4b56c0..e409cc5 100644
```

```
--- a/include/linux/pid.h
+++ b/include/linux/pid.h
@@ -156,6 +156,9 @@ static inline pid_t pid_nr(struct pid *pid)
 pid_t pid_nr_ns(struct pid *pid, struct pid_namespace *ns);
 pid_t pid_vnr(struct pid *pid);
```

```
+/* Test to see if pid is present in pid namespace ns */
+extern int pid_in_pid_ns(struct pid *pid, struct pid_namespace *ns);
+
```

```
#define do_each_pid_task(pid, type, task) \
do { \
    struct hlist_node *pos___; \
```

```
diff --git a/kernel/pid.c b/kernel/pid.c
index a7ecfce..873c00f 100644
```

```
--- a/kernel/pid.c
+++ b/kernel/pid.c
@@ -429,6 +429,12 @@ struct pid *find_get_pid(pid_t nr)
    return pid;
}
```

```
+int pid_in_pid_ns(struct pid *pid, struct pid_namespace *ns)
+{
+ return pid && ns && (ns->level <= pid->level) &&
+ pid->numbers[ns->level].ns == ns;
+}
+
pid_t pid_nr_ns(struct pid *pid, struct pid_namespace *ns)
{
    struct upid *upid;
```

--

1.5.3.rc6.17.g1911

---

Containers mailing list

Containers@lists.linux-foundation.org

<https://lists.linux-foundation.org/mailman/listinfo/containers>

---