
Subject: [PATCH net-2.6.25 4/6][AX25] Switch to using ctl_paths.

Posted by Pavel Emelianov on Tue, 08 Jan 2008 16:03:00 GMT

[View Forum Message](#) <> [Reply to Message](#)

This one is almost the same as the hunks in the first patch, but ax25 tables are created dynamically.

So this patch differs a bit to handle this case.

Signed-off-by: Pavel Emelyanov <xemul@openvz.org>

net/ax25/sysctl_net_ax25.c | 27 +++++-----

1 files changed, 5 insertions(+), 22 deletions(-)

```
diff --git a/net/ax25/sysctl_net_ax25.c b/net/ax25/sysctl_net_ax25.c
index 443a836..f597987 100644
--- a/net/ax25/sysctl_net_ax25.c
+++ b/net/ax25/sysctl_net_ax25.c
@@ -31,25 +31,11 @@ static struct ctl_table_header *ax25_table_header;
static ctl_table *ax25_table;
static int ax25_table_size;

-static ctl_table ax25_dir_table[] = {
-{
- .ctl_name = NET_AX25,
- .procname = "ax25",
- .mode = 0555,
- },
- { .ctl_name = 0 }
-};
-
-static ctl_table ax25_root_table[] = {
-{
- .ctl_name = CTL_NET,
- .procname = "net",
- .mode = 0555,
- .child = ax25_dir_table
- },
- { .ctl_name = 0 }
+static struct ctl_path ax25_path[] = {
+ { .procname = "net", .ctl_name = CTL_NET, },
+ { .procname = "ax25", .ctl_name = NET_AX25, },
+ { }
};

static const ctl_table ax25_param_table[] = {
```

```
{  
    .ctl_name = NET_AX25_IP_DEFAULT_MODE,  
@@ -243,9 +229,7 @@ void ax25_register_sysctl(void)  
}  
spin_unlock_bh(&ax25_dev_lock);  
  
- ax25_dir_table[0].child = ax25_table;  
-  
- ax25_table_header = register_sysctl_table(ax25_root_table);  
+ ax25_table_header = register_sysctl_paths(ax25_path, ax25_table);  
}  
  
void ax25_unregister_sysctl(void)  
@@ -253,7 +237,6 @@ void ax25_unregister_sysctl(void)  
    ctl_table *p;  
    unregister_sysctl_table(ax25_table_header);  
  
- ax25_dir_table[0].child = NULL;  
for (p = ax25_table; p->ctl_name; p++)  
    kfree(p->child);  
    kfree(ax25_table);
```
