
Subject: [PATCH net-2.6.25] [IPV4] fib_rules_unregister is essentially void.

Posted by [den](#) on Mon, 14 Jan 2008 13:48:21 GMT

[View Forum Message](#) <> [Reply to Message](#)

fib_rules_unregister is called only after successful register and the return code is never checked.

Signed-off-by: Denis V. Lunev <den@openvz.org>

```
---
include/net/fib_rules.h | 2 +-
net/core/fib_rules.c    | 21 ++++-----
2 files changed, 5 insertions(+), 18 deletions(-)

diff --git a/include/net/fib_rules.h b/include/net/fib_rules.h
index 88f870f..34349f9 100644
--- a/include/net/fib_rules.h
+++ b/include/net/fib_rules.h
@@ -104,7 +104,7 @@ static inline u32 frh_get_table(struct fib_rule_hdr *frh, struct nlattr **nla)
 }

extern int fib_rules_register(struct net *, struct fib_rules_ops *);
-extern int fib_rules_unregister(struct net *, struct fib_rules_ops *);
+extern void fib_rules_unregister(struct net *, struct fib_rules_ops *);
extern void      fib_rules_cleanup_ops(struct fib_rules_ops *);

extern int  fib_rules_lookup(struct fib_rules_ops *,
diff --git a/net/core/fib_rules.c b/net/core/fib_rules.c
index 0eecf4c..42ccaf5 100644
--- a/net/core/fib_rules.c
+++ b/net/core/fib_rules.c
@@ -115,29 +115,16 @@ void fib_rules_cleanup_ops(struct fib_rules_ops *ops)
 }
EXPORT_SYMBOL_GPL(fib_rules_cleanup_ops);

-int fib_rules_unregister(struct net *net, struct fib_rules_ops *ops)
+void fib_rules_unregister(struct net *net, struct fib_rules_ops *ops)
{
- int err = 0;
- struct fib_rules_ops *o;

spin_lock(&net->rules_mod_lock);
- list_for_each_entry(o, &net->rules_ops, list) {
- if (o == ops) {
- list_del_rcu(&o->list);
- fib_rules_cleanup_ops(ops);
- goto out;
- }
- }
- }
```

```
-  
- err = -ENOENT;  
-out:  
+ list_del_rcu(&ops->list);  
+ fib_rules_cleanup_ops(ops);  
  spin_unlock(&net->rules_mod_lock);  
  
  synchronize_rcu();  
- if (!err)  
-   release_net(net);  
-  
- return err;  
+ release_net(net);  
}  
  
EXPORT_SYMBOL_GPL(fib_rules_unregister);  
--  
1.5.3.rc5
```
