
Subject: [PATCH][IPV6]: Mismatched tw match in __inet6_check_established.
Posted by [Pavel Emelianov](#) on Tue, 15 Jan 2008 09:22:52 GMT

[View Forum Message](#) <> [Reply to Message](#)

When looking for a conflicting connection the !sk->sk_bound_dev_if check is performed only for live sockets, but not for timewait-ed.

This is not the case for ipv4, for __inet6_lookup_established in both ipv4 and ipv6 and for other places that check for tw-s.

Was this missed accidentally? If so, then this patch fixes it and besides makes use if the dif variable declared in the function.

Fits both, net-2.6 and net-2.6.25.

Signed-off-by: Pavel Emelyanov <xemul@openvz.org>

diff --git a/net/ipv6/inet6_hashtables.c b/net/ipv6/inet6_hashtables.c

index d0b3447..a66a7d8 100644

--- a/net/ipv6/inet6_hashtables.c

+++ b/net/ipv6/inet6_hashtables.c

```
@ @ -193,7 +193,7 @ @ static int __inet6_check_established(struct inet_timewait_death_row
*death_row,
    sk2->sk_family      == PF_INET6 &&
    ipv6_addr_equal(&tw6->tw_v6_daddr, saddr) &&
    ipv6_addr_equal(&tw6->tw_v6_rcv_saddr, daddr) &&
-   sk2->sk_bound_dev_if == sk->sk_bound_dev_if) {
+   (!sk2->sk_bound_dev_if || sk2->sk_bound_dev_if == dif)) {
    if (twsk_unique(sk, sk2, twp))
        goto unique;
    else
```
