
Subject: Re: IPv6 ??

Posted by [Thorsten Schifferdeck](#) on Thu, 24 Jan 2008 20:57:28 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi,

for official IPv6 i'm using sixxs as tunnelbroker,
these steps i've done connect a Debian OpenVZ system
to a IPv6 Network for the VE with a venet0 interface:

1) Setup an IPv6 Tunnel (-> <https://noc.sixxs.net/>)

Relevant IPv6 settings in "/etc/network/interfaces"

[...]

device: sixxs ipv6 tunnel with static IPv6

auto sixxs

iface sixxs inet6 v4tunnel

address <your_assigned_IPv6_ADDRESS>

netmask 64

endpoint <IPv4_ADDRESS_of_tunnelbroker>

ttl 64

up ip link set mtu 1280 dev sixxs

up ip route add default via <IPv6_ADDRESS_of_tunnelbroker> dev sixxs

[...]

VE_0\$ ifup sixxs

2) Setup OpenVZ with IPv6 :

enable IPv6 forwarding for all Interfaces

VE_0\$ sysctl -q -w net.ipv6.conf.all.forwarding=1

enable IPv6 in /etc/vz/vz.conf -> IPV6="yes"

and restart OpenVZ Subsystem, so venet has a IPv6 Address

VE_0\$ /etc/init.d/vz restart

give a VE an IPv6 address, you need a IPv6 subnet (

<https://noc.sixxs.net/>)

VE_0\$ vzctl set <VEID> --ipadd <IPv6_ADDRESS> [--yes]

3) Test it

If you connected to an official IPv6 network, you can test it, by pinging
debian.systs.org (2001:6f8:109a::1a01) or visit IPv6 sites like
<http://www.kame.net> and see the dancing turtle ;-)

Bye,

Thorsten

--

Thorsten Schifferdecker
tsd@debian.systs.org

---//---

Am Do, 24.01.2008, 18:29, schrieb Benoit Branciard:

```
> Temporarily giving up messing with veth devices (forgot dhcpd server for
> now), I concentrated on setting up a basic VS with both IPv4 and IPv6
> addresses, using standard venet device.
>
> I'm using Debian Etch hardware node with debian.systs.org packages.
>
> So I did:
>
> - install packages and reboot as necessary :
> fzakernel-2.6.18-686 vzctl vzctl-ostmpl-debian vzdump vzprocps vzquota
>
> - ensure /etc/sysctl.conf contains :
>
> net.ipv4.conf.default.forwarding = 1
> net.ipv4.conf.all.rp_filter = 1
> kernel.sysrq = 1
> net.ipv4.conf.default.send_redirects = 1
> net.ipv4.conf.all.send_redirects = 0
>
> - ensure /etc/vz/vz.conf contains:
> IPV6="yes"
>
> - create VS :
> vzctl create 112 --ipadd XXX.YYY.ZZZ.12 --ipadd xxx:yyy:zzzz::12
> --hostname brahma-vps112
>
> (default template is debian-4.0-i386-minimal, hardware node has only one
> physical interface activated, on the same subnet as VS)
>
> - start VS :
> vzctl start 112
>
>
> Result:
>
> - IPv4 VS works as expected (ping succeeds from hardware node, external
> server in same subnet, external server on another subnet).
>
> - IPv6 VS doesn't work !!! (ping6 works *only* between VS and hardware
> node, not from external sources; VS has IPv6 address correctly defined,
> as per ifconfig).
>
```

> Am I missing something ?
>
> I suspected it may be useful to set sysctl
> net.ipv6.conf.<iface>.forwarding to 1, but :
> - this turns the box in "router" mode, disabling RA acceptance from
> default router (annoying)
> - this doesn't work either !!
