
Subject: Re: IPv6 ??

Posted by [Thorsten Schifferdeck\[1\]](#) on Fri, 25 Jan 2008 06:30:42 GMT

[View Forum Message](#) <> [Reply to Message](#)

Hi,

@jan: how get your IPv6 connectivity ?

IPv6 traceroute from noc.sixxs.net @ SixXS NOC, AS12871 to
2001:718:1:e::23:3257 :

Hop	Node	Loss%	Sent	Last	Avg	Best	Worst
StDev	ASN	Organisation					
1.	2001:838:1:1::1	0.0%	5	0.4	0.4	0.4	0.4
0.0	[.nl] Netherlands, The 12871	Concepts ICT					
	ge-1-3-0.breda.ipv6.concepts-ict.net.						
2.	2001:838:0:10::1	0.0%	5	2.3	2.4	2.3	2.4
0.0	[.nl] Netherlands, The 12871	Concepts ICT					
3.	2001:7f8:1::a500:3257:1	0.0%	5	2.8	2.8	2.8	2.8
	ams-ix-1.ip.tiscali.net.						0.0
4.	2001:668:0:2::1:272	0.0%	5	2.9	3.0	2.9	3.0
0.0	[.eu] Europe	Tiscali International Network B.V.					
	so-6-1-0.ams22.ip6.tiscali.net.						
5.	2001:668:0:2::1:481	0.0%	5	6.1	6.4	6.1	6.8
0.3	[.eu] Europe	Tiscali International Network B.V.					
	so-6-1-0.dus11.ip6.tiscali.net.						
6.	2001:668:0:2::1:2	0.0%	5	9.5	9.4	9.2	9.6
0.2	[.eu] Europe	Tiscali International Network B.V.					
	so-0-1-0.fra40.ip6.tiscali.net.						
7.	2001:668:0:2::1:292	0.0%	5	17.2	18.8	17.2	24.8
3.4	[.eu] Europe	Tiscali International Network B.V.					
	so-0-0-0.prg11.ip6.tiscali.net.						
8.	2001:7f8:14::1:1	0.0%	5	18.0	20.1	18.0	25.4
	nix2-10ge.ipv6.cesnet.cz.						3.1
9.	???	100.0	5	0.0	0.0	0.0	0.0

Can you post the output from traceroute6 from your Hardware Node / VE to
2001:838:1:1:210:dcff:fe20:7c7c (noc.sixxs.net) ?

Bye,

Thorsten

--

Thorsten Schifferdecker

tsd@debian.systs.org

Am Do, 24.01.2008, 21:47, schrieb Jan Tomasek:

> Hello Benoit,

>

```

>> Temporarily giving up messing with veth devices (forgot dhcpd server for
>> now), I concentrated on setting up a basic VS with both IPv4 and IPv6
>> addresses, using standard venet device.
>>
>> [...]
>
>> Result:
>>
>> - IPv4 VS works as expected (ping succeeds from hardware node, external
>> server in same subnet, external server on another subnet).
>>
>> - IPv6 VS doesn't work !!! (ping6 works *only* between VS and hardware
>> node, not from external sources; VS has IPv6 address correctly defined,
>> as per ifconfig).
>>
>> Am I missing something ?
>>
>> I suspected it may be useful to set sysctl
>> net.ipv6.conf.<iface>.forwarding to 1, but :
>> - this turns the box in "router" mode, disabling RA acceptance from
>> default router (annoying)
>> - this doesn't work either !!
>
> Very interesting! I'm having exactly same problem here. IPv6 was working
> perfectly for me after some problems before several months. Now I had to
> reboot my HW node and IPv6 is gone.
>
> When I try to ping VE from real world I'm getting:
>
>> semik@staff:~$ ping6 2001:718:1:e::23:3257
>> PING 2001:718:1:e::23:3257(2001:718:1:e::23:3257) 56 data bytes
>> From 2001:718:1:101::1 icmp_seq=0 Destination unreachable: Address
>> unreachable
>> From 2001:718:1:101::1 icmp_seq=3 Destination unreachable: Address
>> unreachable
>
> From HW node to VE or from one VE to another VE is IPv6 working fine. I
> think that HW node didn't sent some info to it's IPv6 gateway about
> presence of new IPv6 address. Sadly I'm clue less how to better debug
> this. But!
>
> I've discovered trick. Run alternate version of this on your HW node:
>
>> ifconfig eth0 add 2001:718:1:e::23:3257/64
>> sleep 5
>> ping6 -I 2001:718:1:e::23:3257 -c 1 2001:718:1:e::1
>> ifconfig eth0 del 2001:718:1:e::23:3257/64
>

```

> 2001:718:1:e::23:3257 - IPv6 address of VE
> 2001:718:1:e::1 - gateway
>
> That will cause that router will learn about presence of VE. It lasts
> for several hours. I discovered it at about 17 clock and now at 22 are
> VE still IPv6 online... but I'm afraid that clearing IPv6 neighbours
> table on router will kill this. Something is not working on HW node.
>
>
> I'm running 2.6.18-028stab051 on Debian Etch. Output of sysctl -a |grep
> net.ipv6 | sort >/tmp/chlivek.ipv6 is attached. Hope someone will point
> out where problem is. Yesterday I've reboot my second HW node...
>
> --
> -----
> Jan Tomasek aka Semik
> <http://www.tomasek.cz/>
