

---

Subject: [PATCH 2/4] Pidns: fix badly converted mqueues pid handling  
Posted by [Pavel Emelianov](#) on Mon, 28 Jan 2008 15:10:19 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

When sending the pid namespaces patches I wrongly converted the tsk->tgid into task\_pid\_vnr(tsk) in mqueue-s (the git id of this patch is b488893a390edfe027bae7a46e9af8083e740668).

The proper behavior is to get the task\_tgid\_vnr(tsk).

This seem to be the only mistake of that kind.

Signed-off-by: Pavel Emelyanov <xemul@openvz.org>

---

ipc/mqueue.c | 2 +-  
1 files changed, 1 insertions(+), 1 deletions(-)

diff --git a/ipc/mqueue.c b/ipc/mqueue.c  
index eb3f489..b83e983 100644

--- a/ipc/mqueue.c

+++ b/ipc/mqueue.c

@@ -509,7 +509,7 @@ static void \_\_do\_notify(struct mqueue\_inode\_info \*info)

sig\_i.si\_errno = 0;

sig\_i.si\_code = SI\_MESGQ;

sig\_i.si\_value = info->notify.sigev\_value;

- sig\_i.si\_pid = task\_pid\_vnr(current);

+ sig\_i.si\_pid = task\_tgid\_vnr(current);

sig\_i.si\_uid = current->uid;

kill\_pid\_info(info->notify.sigev\_signo,

--

1.5.3.4

---