

---

Subject: [PATCH] table->lock initialization move  
Posted by [Mishin Dmitry](#) on Mon, 17 Apr 2006 11:14:01 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

xt\_table->lock should be initialized before xt\_replace\_table() call, which uses it. This patch removes strict requirement, that table should define lock before registering.

Signed-off-by: Dmitry Mishin <dim@openvz.org>  
Signed-off-by: Kirill Korotaev <dev@openvz.org>

--  
Thanks,  
Dmitry.

```
diff --git a/net/netfilter/x_tables.c b/net/netfilter/x_tables.c
index 00cf0a4..17abf60 100644
--- a/net/netfilter/x_tables.c
+++ b/net/netfilter/x_tables.c
@@ -529,6 +529,7 @@ int xt_register_table(struct xt_table *t
    /* Simplifies replace_table code. */
    table->private = bootstrap;
+   rwlock_init(&table->lock);
    if (!xt_replace_table(table, 0, newinfo, &ret))
        goto unlock;

@@ -538,7 +539,6 @@ int xt_register_table(struct xt_table *t
    /* save number of initial entries */
    private->initial_entries = private->number;

-   rwlock_init(&table->lock);
    list_prepend(&xt[table->af].tables, table);

    ret = 0;
```

## File Attachments

1) [diff-net-netfilter-xt-lock-20060417](#), downloaded 342 times

---