
Subject: Re: [RFC][PATCH 3/4]: Enable multiple mounts of /dev/pts
Posted by [Oren Laadan](#) on Wed, 06 Feb 2008 19:45:10 GMT
[View Forum Message](#) <> [Reply to Message](#)

Serge E. Hallyn wrote:

> Quoting Oren Laadan (orenl@cs.columbia.edu):

>>

>> Serge E. Hallyn wrote:

>>> Quoting Pavel Emelyanov (xemul@openvz.org):

>>>> Serge E. Hallyn wrote:

>>>>> Quoting Pavel Emelyanov (xemul@openvz.org):

>>>>>> sukadev@us.ibm.com wrote:

>>>>>>> From: Sukadev Bhattiprolu <sukadev@us.ibm.com>

>>>>>>> Subject: [RFC][PATCH 3/4]: Enable multiple mounts of /dev/pts

>> [SNIP]

>>

>>>>>> That stuff becomes very very similar to that in proc :)

>>>>>> Makes sense to consolidate. Maybe...

>>>>> Yeah, and the mqns that Cedric sent too. I think Cedric said he'd

>>>>> started an a patch implementing a helper. Cedric?

>>>> Mmm. I wanted to send one small objection to Cedric's patches with mqns,

>>>> but the thread was abandoned by the time I decided to do-it-right-now.

>>>>

>>>> So I can put it here: forcing the CLONE_NEWNS is not very good, since

>>>> this makes impossible to push a bind mount inside a new namespace, which

>>>> may operate in some chroot environment. But this ability is heavily

>>> Which direction do you want to go? I'm wondering whether mounts

>>> propagation can address it.

>>> Though really, I think you're right - we shouldn't break the kernel

>>> doing CLONE_NEWMQ or CLONE_NEWPTS without CLONE_NEWNS, so we shouldn't

>>> force the combination.

>>>> exploited in OpenVZ, so if we can somehow avoid forcing the NEWNS flag

>>>> that would be very very good :) See my next comment about this issue.

>>>>

>>>>> Pavel, not long ago you said you were starting to look at tty and pty

>>>>> stuff - did you have any different ideas on devpts virtualization, or

>>>>> are you ok with this minus your comments thus far?

>>>> I have a similar idea of how to implement this, but I didn't thought

>>>> about the details. As far as this issue is concerned, I see no reasons

>>>> why we need a kern_mount-ed devptsfs instance. If we don't make such,

>>>> we may safely hold the ptsns from the superblock and be happy. The

>>>> same seems applicable to the mqns, no?

>>> But the current->nsproxy->devpts->mnt is used in several functions in

>>> patch 3.

>>>> The reason I have the kern_mount-ed instance of proc for pid namespaces

>>>> is that I need a vfsmount to flush task entries from, but allowing

>>>> it to be NULL (i.e. no kern_mount, but optional user mounts) means

>>>> handing all the possible races, which is too heavy. But do we actually

>>>> need the vfsmount for devpts and mqns if no user-space mounts exist?
>>>>
>>>> Besides, I planned to include legacy ptys virtualization and console
>>>> virtualizatin in this namespace, but it seems, that it is not present
>>>> in this particular one.
>>> I had been thinking the consoles would have their own ns, since there's
>>> really nothing linking them, but there really is no good reason why
>>> userspace should ever want them separate. So I'm fine with combining
>>> them.
>> If you want to run something like an X server inside each container
>> (eg each container holds a desktop session of a different user), then
>> you need a separate virtual-console namespace for each container.
>
> Ok, but whether the consoles and devpts are unshared with the same
> cloneflag or not isn't an issue, right?

true. (I misread your comment.)

(
modulo that we are additional-clone-flags-challenged ...)

>
>> (yes, X per-se needs to provide remote display as opposed to use
>> local hardware; see <http://www.ncl.cs.columbia.edu/research/thinc/>)
>
> -serge

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>
