
Posted by [Kumarunster](#) on Wed, 19 Apr 2006 09:38:20 GMT

[View Forum Message](#) <> [Reply to Message](#)

```
default=0
timeout=5
splashimage=(hd0,0)/grub/splash.xpm.gz
hiddenmenu
title OpenVZ (2.6.15-1.2054_FC5.026test006)
root (hd0,0)
kernel /vmlinuz-2.6.15-1.2054_FC5.026test006 ro root=LABEL=/
initrd /initrd-2.6.15-1.2054_FC5.026test006.img
title Fedora Core (2.6.15-1.2054_FC5)
root (hd0,0)
kernel /vmlinuz-2.6.15-1.2054_FC5 ro root=LABEL=/ rhgb quiet
initrd /initrd-2.6.15-1.2054_FC5.img
```

```
# Kernel sysctl configuration file for Red Hat Linux
#
# For binary values, 0 is disabled, 1 is enabled. See sysctl(8) and
# sysctl.conf(5) for more details.
```

```
# Controls IP packet forwarding
net.ipv4.ip_forward = 1
net.ipv4.conf.default.proxy_arp = 0
```

```
# Controls source route verification
net.ipv4.conf.default.rp_filter = 1
```

```
# Do not accept source routing
net.ipv4.conf.default.accept_source_route = 0

# Controls the System Request debugging functionality of the kernel
kernel.sysrq = 1

# TCP Explicit Congestion Notification
#net.ipv4.tcp_ecn = 0
# we do not want all our interfaces to send redirects
net.ipv4.conf.default.send_redirects = 1
net.ipv4.conf.all.send_redirects = 0

# Controls whether core dumps will append the PID to the core filename.
# Useful for debugging multi-threaded applications.
kernel.core_uses_pid = 1

# Controls the use of TCP syncookies
net.ipv4.tcp_syncookies = 1
```