
Subject: Re: [PATCH 2/7] cgroup: fix comments
Posted by [Paul Menage](#) on Wed, 20 Feb 2008 03:01:44 GMT
[View Forum Message](#) <> [Reply to Message](#)

On Feb 17, 2008 9:49 PM, Li Zefan <lizf@cn.fujitsu.com> wrote:

```
> fix:
> - comments about need_forkexit_callback
> - comments about release agent
> - typo and comment style, etc.
>
> Signed-off-by: Li Zefan <lizf@cn.fujitsu.com>
> ---
> include/linux/cgroup.h | 2 +-
> kernel/cgroup.c       | 44 ++++++-----
> 2 files changed, 22 insertions(+), 24 deletions(-)
>
> diff --git a/include/linux/cgroup.h b/include/linux/cgroup.h
> index ff9055f..2ebf7af 100644
> --- a/include/linux/cgroup.h
> +++ b/include/linux/cgroup.h
> @@ -175,7 +175,7 @@ struct css_set {
> *
> *
> * When reading/writing to a file:
> - * - the cgroup to use in file->f_dentry->d_parent->d_fsdata
> + * - the cgroup to use is file->f_dentry->d_parent->d_fsdata
> * - the 'cftype' of the file is file->f_dentry->d_fsdata
> */
>
> diff --git a/kernel/cgroup.c b/kernel/cgroup.c
> index 4766bb6..0c35022 100644
> --- a/kernel/cgroup.c
> +++ b/kernel/cgroup.c
> @@ -113,9 +113,9 @@ static int root_count;
> #define dummytop (&rootnode.top_cgroup)
>
> /* This flag indicates whether tasks in the fork and exit paths should
> - * take callback_mutex and check for fork/exit handlers to call. This
> - * avoids us having to do extra work in the fork/exit path if none of the
> - * subsystems need to be called.
> + * check for fork/exit handlers to call. This avoids us having to do
> + * extra work in the fork/exit path if none of the subsystems need to
> + * be called.
> */
> static int need_forkexit_callback;
>
> @@ -507,8 +507,8 @@ static struct css_set *find_css_set(
> * critical pieces of code here. The exception occurs on cgroup_exit(),
```

```

> * when a task in a notify_on_release cgroup exits. Then cgroup_mutex
> * is taken, and if the cgroup count is zero, a usermode call made
> - * to /sbin/cgroup_release_agent with the name of the cgroup (path
> - * relative to the root of cgroup file system) as the argument.
> + * to the release agent with the name of the cgroup (path relative to
> + * the root of cgroup file system) as the argument.
> *
> * A cgroup can only be deleted if both its 'count' of using tasks
> * is zero, and its list of 'children' cgroups is empty. Since all
@@ -521,7 +521,7 @@ static struct css_set *find_css_set(
> *
> * The need for this exception arises from the action of
> * cgroup_attach_task(), which overwrites one tasks cgroup pointer with
> - * another. It does so using cgroup_mutex, however there are
> + * another. It does so using cgroup_mutex, however there are
> * several performance critical places that need to reference
> * task->cgroup without the expense of grabbing a system global
> * mutex. Therefore except as noted below, when dereferencing or, as
@@ -1192,7 +1192,7 @@ static void get_first_subsys(const struct cgroup *cgrp,
> * Attach task 'tsk' to cgroup 'cgrp'
> *
> * Call holding cgroup_mutex. May take task_lock of
> - * the task 'pid' during call.
> + * the task 'tsk' during call.
> */
> int cgroup_attach_task(struct cgroup *cgrp, struct task_struct *tsk)
> {
@@ -1584,12 +1584,11 @@ static int cgroup_create_file(struct dentry *dentry, int mode,
> }
>
>
> /*

```

I think that docbook-style function comments need `/**` at the start of the comment block.

Thanks,

Paul

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>