
Subject: [PATCH 08/10] CGroup API files: Drop mem_cgroup_force_empty()
Posted by [Paul Menage](#) on Sat, 23 Feb 2008 22:47:33 GMT
[View Forum Message](#) <> [Reply to Message](#)

This function isn't needed - a NULL pointer in the cftype read function will result in the same EINVAL response to userspace.

Signed-off-by: Paul Menage <menage@google.com>

mm/memcontrol.c | 14 -----
1 file changed, 14 deletions(-)

Index: cgroup-2.6.25-rc2-mm1/mm/memcontrol.c

```
=====
--- cgroup-2.6.25-rc2-mm1.orig/mm/memcontrol.c
+++ cgroup-2.6.25-rc2-mm1/mm/memcontrol.c
@@ -950,19 +950,6 @@ static ssize_t mem_force_empty_write(str
     return ret;
 }

-/*
- * Note: This should be removed if cgroup supports write-only file.
- */
-
-static ssize_t mem_force_empty_read(struct cgroup *cont,
-    struct cftype *cft,
-    struct file *file, char __user *userbuf,
-    size_t nbytes, loff_t *ppos)
-{
-    return -EINVAL;
-}
-
static const struct mem_cgroup_stat_desc {
    const char *msg;
    u64 unit;
@@ -1019,7 +1006,6 @@ static struct cftype mem_cgroup_files[]
 {
     .name = "force_empty",
     .write = mem_force_empty_write,
-    .read = mem_force_empty_read,
 },
 {
     .name = "stat",
```

--

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>
