# Subject: The I/O bandwidth controller: dm-ioband Performance Report Posted by Ryo Tsuruta on Mon, 25 Feb 2008 10:29:14 GMT

View Forum Message <> Reply to Message

Hi All,

I report new results of dm-ioband bandwidth control test. The previous test results were posted on Jan 25.

I've got really good results as well as the last report. dm-ioband works well with Xen virtual disk.


I also announce that dm-ioband website has launched. The patches, the manual, the benchmark results and other related information are available through this site. Please check it out:

http://people.valinux.co.jp/~ryov/dm-ioband/

# Bandwidth control on a per partition basis

# Test procedure

- o Prepare three partitions sda11, sda12 and sda13.
- o Create three ioband devices ioband1, ioband2 and ioband3 on each partition respectively.
- o Give weights of 40, 20 and 10 to each ioband device respectively.
- o Run 50, 100 and 200 processes issuing random read/write direct I/O with 4KB data on each ioband device at the same time respectively.
- o Count up the number of I/Os which have done in 60 seconds.
- o For comparison, do this test under different conditions. The conditions are:
  - Direct access to the physical devices without dm-ioband.
  - Give weights in equal proportion to each ioband devices.



### Results

#### Direct access without dm-ioband

- :	device   I/O processes	. `	,	, · .	 (57.1%)
i	I/Os   ratio to total	1469	2486   27.7%	5032     56.0%	I

# Weights in inverse proportion to the number of processes

	device   weight	sda11   sda12   sda13   40 (57.1%)   20 (28.6%)   10 (14.3%)	I
	I/Os   ratio to total	5023   2654   1369   55.5%   29.3%   15.1%	

# Weights in equal proportion

	device   weight	sda11   sda12   sda13   10 (33.3%)   10 (33.3%)   10 (33.3%)	
	I/Os   ratio to total	2954   3004   2986   33.0%   33.6%   33.4%	


Bandwidth control on a per logical volume basis

## Test procedure

- o Prepare two partitions sda11 and sdb11.
- o Create a volume group with the two partitions.
- o Create two striped logical volumes on the volume group.
- o Give weights of 20 and 10 to lv0 and lv1 respectively.
- o Run 128 processes issuing random read/write direct I/O with 4KB data on each ioband device at the same time respectively.
- o Count up the number of I/Os which have done in 60 seconds.

### Block diagram

Read/Write process x 128 Read/Write process x 128




# Result


device   weight	lv0   20 (66.6%)	lv1     10 (33.3%)	
I/Os	13508	6779	
ratio to total	66.6%	33.3%	

Bandwidth control on a per Xen virtual block device basis

## Test procedure

- o Prepare two partitions sda11 and sda12.
- o Create two ioband devices ioband1 and ioband2 on each partition respectively.
- o Give weight of 20 and 10 to each ioband device respectively.
- o Create two virtual machines that using the ioband device as Xen virtual machine's disk.
- o Run 128 processes issuing random read/write direct I/O with 4KB data on each virtual machine at the same time respectively.
- o Count up the number of I/Os which have done in 60 seconds.






#### Result

virtual machine weight	e   VM1 20 (66.6%)	   VM2   10 (33.3%)	
I/Os	7140	3819	
ratio to total	65.2%	34.8%	

Bandwidth control on a per Xen virtual block device basis

# Test procedure

- o Prepare one partition sda11.
- o Create two files on sda11 to use as virtual machine's disks.
- o Create an ioband devices on sda11.
- o Create two virtual machines that using the prepared files as Xen virtual machine's disk.
- o Create two extra ioband-groups on ioband1, the first is of process tapdisk1 and the second is of process tapdisk2.
- o Run 128 processes issuing random read/write direct I/O with 4KB data on each virtual machine at the same time respectively.
- o Count up the number of I/Os which have done in 60 seconds.



```
| | /dev/xvda1 | | | | /dev/xvda1 | | virtual block
+-----V-----+
       | | tapdisk2 | tapdisk
  tapdisk1
+-----V-----+
 pid of tapdisk1 | pid of tapdisk2 | ioband groups
  (20) | (10) | (weight) /dev/mapper/ioband1 | ioba
              ioband device
/dev/sda11
                | physical device
```

## Result

virtual machine | VM1 | VM2 weight | 20 (66.6%) | 10 (33.3%) | |-----| I/Os | 7486 | 3895 | | ratio to total | 65.8% | 34.2%

Thanks, Ryo Tsuruta

Containers mailing list Containers@lists.linux-foundation.org https://lists.linux-foundation.org/mailman/listinfo/containers