
Subject: Re: [PATCH 1/2] Add the max_usage member on the res_counter
Posted by KAMEZAWA Hiroyuki on Sat, 08 Mar 2008 04:33:07 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Fri, 07 Mar 2008 18:30:55 +0300

Pavel Emelyanov <xemul@openvz.org> wrote:

> This is a very usefull feature. E.g. one may set the
> limit to "unlimited" value and check for the memory
> requirements of a new container.
>
Hm, I like this. Could you add a method to reset this counter ?

Thanks,

-Kame

> Signed-off-by: Pavel Emelyanov <xemul@openvz.org>
>
> ---
> include/linux/res_counter.h | 5 +++++
> kernel/res_counter.c | 4 +***
> mm/memcontrol.c | 5 +****
> 3 files changed, 14 insertions(+), 0 deletions(-)
>
> diff --git a/include/linux/res_counter.h b/include/linux/res_counter.h
> index 8cb1ecd..2c4deb5 100644
> --- a/include/linux/res_counter.h
> +++ b/include/linux/res_counter.h
> @@ -25,6 +25,10 @@ struct res_counter {
> */
> unsigned long long usage;
> /*
> + * the maximal value of the usage from the counter creation
> + */
> + unsigned long long max_usage;
> + /*
> * the limit that usage cannot exceed
> */
> unsigned long long limit;
> @@ -67,6 +71,7 @@ ssize_t res_counter_write(struct res_counter *counter, int member,
>
> enum {
> RES_USAGE,
> + RES_MAX_USAGE,
> RES_LIMIT,
> RES_FAILCNT,
> };

```
> diff --git a/kernel/res_counter.c b/kernel/res_counter.c
> index 791ff2b..f1f20c2 100644
> --- a/kernel/res_counter.c
> +++ b/kernel/res_counter.c
> @@ -27,6 +27,8 @@ int res_counter_charge_locked(struct res_counter *counter, unsigned
long val)
>  }
>
>  counter->usage += val;
> + if (counter->usage > counter->max_usage)
> +  counter->max_usage = counter->usage;
>  return 0;
> }
>
> @@ -65,6 +67,8 @@ res_counter_member(struct res_counter *counter, int member)
> switch (member) {
> case RES_USAGE:
>  return &counter->usage;
> + case RES_MAX_USAGE:
> +  return &counter->max_usage;
> case RES_LIMIT:
>  return &counter->limit;
> case RES_FAILCNT:
> diff --git a/mm/memcontrol.c b/mm/memcontrol.c
> index 2d59163..e5c741a 100644
> --- a/mm/memcontrol.c
> +++ b/mm/memcontrol.c
> @@ -911,6 +911,11 @@ static struct cftype mem_cgroup_files[] = {
>  .read_u64 = mem_cgroup_read,
> },
> {
> + .name = "max_usage_in_bytes",
> + .private = RES_MAX_USAGE,
> + .read_u64 = mem_cgroup_read,
> + },
> + {
>  .name = "limit_in_bytes",
>  .private = RES_LIMIT,
>  .write = mem_cgroup_write,
> --
> 1.5.3.4
>
> --
> To unsubscribe, send a message with 'unsubscribe linux-mm' in
> the body to majordomo@kvack.org. For more info on Linux MM,
> see: http://www.linux-mm.org/ .
> Don't email: <a href="mailto:dont@kvack.org"> email@kvack.org </a>
```

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>
