
Subject: [PATCH 3/3] Implement failcounter reset
Posted by [Pavel Emelianov](#) on Thu, 13 Mar 2008 11:39:55 GMT
[View Forum Message](#) <[Reply to Message](#)

Merge two resets into one mem_cgroup_reset() function to demonstrate how multiplexing work.

Besides, I have plans to move the files, that correspond to res_counter to the res_counter.c file and somehow "import" them into controller. I don't know how to make it gracefully yet, but merging resets of max_usage and failcnt in one function will be there for sure.

Signed-off-by: Pavel Emelyanov <xemul@openvz.org>

```
---  
include/linux/res_counter.h |  8 ++++++++  
mm/memcontrol.c           | 14 ++++++-----  
2 files changed, 19 insertions(+), 3 deletions(-)  
  
diff --git a/include/linux/res_counter.h b/include/linux/res_counter.h  
index df8085a..3c05d6d 100644  
--- a/include/linux/res_counter.h  
+++ b/include/linux/res_counter.h  
@@ -141,4 +141,12 @@ static inline void res_counter_reset_max(struct res_counter *cnt)  
    spin_unlock_irqrestore(&cnt->lock, flags);  
}  
  
+static inline void res_counter_reset_failcnt(struct res_counter *cnt)  
+{  
+    unsigned long flags;  
+  
+    spin_lock_irqsave(&cnt->lock, flags);  
+    cnt->failcnt = 0;  
+    spin_unlock_irqrestore(&cnt->lock, flags);  
+}  
#endif  
diff --git a/mm/memcontrol.c b/mm/memcontrol.c  
index d3ec3e3..5852b23 100644  
--- a/mm/memcontrol.c  
+++ b/mm/memcontrol.c  
@@ -868,12 +868,19 @@ static ssize_t mem_cgroup_write(struct cgroup *cont, struct cftype *cft,  
    mem_cgroup_write_strategy);  
}  
  
-static int mem_cgroup_max_reset(struct cgroup *cont, unsigned int event)  
+static int mem_cgroup_reset(struct cgroup *cont, unsigned int event)  
{
```

```

struct mem_cgroup *mem;

mem = mem_cgroup_from_cont(cont);
- res_counter_reset_max(&mem->res);
+ switch (event) {
+ case RES_MAX_USAGE:
+ res_counter_reset_max(&mem->res);
+ break;
+ case RES_FAILCNT:
+ res_counter_reset_failcnt(&mem->res);
+ break;
+ }
return 0;
}

@@ -927,7 +934,7 @@ static struct cftype mem_cgroup_files[] = {
{
.name = "max_usage_in_bytes",
.private = RES_MAX_USAGE,
- .trigger = mem_cgroup_max_reset,
+ .trigger = mem_cgroup_reset,
.read_u64 = mem_cgroup_read,
},
{
@@ -939,6 +946,7 @@ static struct cftype mem_cgroup_files[] = {
{
.name = "failcnt",
.private = RES_FAILCNT,
+ .trigger = mem_cgroup_reset,
.read_u64 = mem_cgroup_read,
},
{
--
```

1.5.3.4

Containers mailing list
 Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>
