
Subject: [PATCH 1/3] Add the trigger callback to struct cftype
Posted by [Pavel Emelianov](#) on Thu, 13 Mar 2008 11:36:17 GMT
[View Forum Message](#) <> [Reply to Message](#)

Trigger callback can be used to receive a kick-up from the user space. The string written is ignored.

The cftype->private is used for multiplexing events.

Signed-off-by: Pavel Emelyanov <xemul@openvz.org>

```
---
include/linux/cgroup.h | 8 ++++++++
kernel/cgroup.c       | 4 ++++
2 files changed, 12 insertions(+), 0 deletions(-)

diff --git a/include/linux/cgroup.h b/include/linux/cgroup.h
index 785a01c..2d1d151 100644
--- a/include/linux/cgroup.h
+++ b/include/linux/cgroup.h
@@ -243,6 +243,14 @@ struct cftype {
    */
    int (*write_s64) (struct cgroup *cgrp, struct cftype *cft, s64 val);

+ /*
+  * trigger() callback can be used to get some kick from the
+  * userspace, when the actual string written is not important
+  * at all. The private field can be used to determine the
+  * kick type for multiplexing.
+  */
+ int (*trigger)(struct cgroup *cgrp, unsigned int event);
+
    int (*release) (struct inode *inode, struct file *file);
};

diff --git a/kernel/cgroup.c b/kernel/cgroup.c
index e8e8ec4..f2d8f25 100644
--- a/kernel/cgroup.c
+++ b/kernel/cgroup.c
@@ -1410,6 +1410,10 @@ static ssize_t cgroup_file_write(struct file *file, const char __user *buf,
    return cft->write(cgrp, cft, file, buf, nbytes, ppos);
    if (cft->write_u64 || cft->write_s64)
        return cgroup_write_X64(cgrp, cft, file, buf, nbytes, ppos);
+ if (cft->trigger) {
+ int ret = cft->trigger(cgrp, (unsigned int)cft->private);
+ return ret ? ret : nbytes;
+ }
    return -EINVAL;
```

}

--

1.5.3.4

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>
