

---

Posted by [piplite](#) on Fri, 14 Mar 2008 17:23:09 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

2.

```
[root@svarog pip]# ping x.x.x.x
PING x.x.x.x (x.x.x.x) 56(84) bytes of data:
64 bytes from x.x.x.x : icmp_seq=1 ttl=64 time=1.08 ms
64 bytes from x.x.x.x : icmp_seq=2 ttl=64 time=1.26 ms
64 bytes from x.x.x.x : icmp_seq=3 ttl=64 time=1.49 ms
64 bytes from x.x.x.x : icmp_seq=4 ttl=64 time=1.20 ms
64 bytes from x.x.x.x : icmp_seq=5 ttl=64 time=1.47 ms
64 bytes from x.x.x.x : icmp_seq=6 ttl=64 time=2.12 ms
```

```
--- x.x.x.x ping statistics ---
```

```
6 packets transmitted, 6 received, 0% packet loss, time 5000ms
rtt min/avg/max/mdev = 1.081/1.442/2.128/0.340 ms
```

1.

```
[pip@veles ~]$ ping x.x.x.x
PING x.x.x.x 56(84) bytes of data:
64 bytes from x.x.x.x : icmp_seq=1 ttl=64 time=401 ms
64 bytes from x.x.x.x : icmp_seq=2 ttl=64 time=403 ms
64 bytes from x.x.x.x : icmp_seq=3 ttl=64 time=401 ms
64 bytes from x.x.x.x : icmp_seq=4 ttl=64 time=400 ms
64 bytes from x.x.x.x : icmp_seq=5 ttl=64 time=403 ms
64 bytes from x.x.x.x : icmp_seq=6 ttl=64 time=402 ms
64 bytes from x.x.x.x : icmp_seq=7 ttl=64 time=400 ms
```

--- x.x.x.x ping statistics ---

7 packets transmitted, 7 received, 0% packet loss, time 6091ms

rtt min/avg/max/mdev = 400.588/401.903/403.928/1.219 ms

2.6.18-53.1.4.el5.028stab053.4

Server: ibm x345

---