

---

Subject: Re: [PATCH -mm 2/3] cgroup: simplify init\_subsys()  
Posted by [Paul Menage](#) on Wed, 02 Apr 2008 10:26:24 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

On Tue, Apr 1, 2008 at 7:16 PM, Li Zefan <lizf@cn.fujitsu.com> wrote:

```
> -  
> - /* If this subsystem requested that it be notified with fork  
> - * events, we should send it one now for every process in the  
> - * system */  
> - if (ss->fork) {  
> -     struct task_struct *g, *p;  
> -  
> -     read_lock(&tasklist_lock);  
> -     do_each_thread(g, p) {  
> -         ss->fork(ss, p);  
> -     } while_each_thread(g, p);  
> -     read_unlock(&tasklist_lock);  
> - }
```

Should we maybe call ss->fork(ss, &init\_task) ? Or just document that ss->fork() explicitly doesn't get called for init.

Maybe also add some BUG()s to confirm that no other tasks have in fact been forked by this point?

Paul

---

Containers mailing list  
[Containers@lists.linux-foundation.org](mailto:Containers@lists.linux-foundation.org)  
<https://lists.linux-foundation.org/mailman/listinfo/containers>

---