
Subject: Re: [PATCH -mm 3/3] cgroup: remove the css_set linked-list

Posted by [Paul Menage](#) on Thu, 03 Apr 2008 17:41:03 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Wed, Apr 2, 2008 at 10:53 PM, Li Zefan <lizf@cn.fujitsu.com> wrote:

> Now we can run through the hash table instead of running through
> the linked-list.
>
> Signed-off-by: Li Zefan <lizf@cn.fujitsu.com>

Reviewed-by: Paul Menage <menage@google.com>

Looks good, thanks.

```
> ---
> include/linux/cgroup.h |  6 -----
> kernel/cgroup.c       | 40 ++++++-----+
> 2 files changed, 20 insertions(+), 26 deletions(-)
>
> diff --git a/include/linux/cgroup.h b/include/linux/cgroup.h
> index f585b7c..d58a958 100644
> --- a/include/linux/cgroup.h
> +++ b/include/linux/cgroup.h
> @@ -150,12 +150,6 @@ struct css_set {
>     struct kref ref;
>
>     /*
> -      * List running through all cgroup groups. Protected by
> -      * css_set_lock
> -      */
> -    struct list_head list;
> -
> -    /*
> -     * List running through all cgroup groups in the same hash
> -     * slot. Protected by css_set_lock
> -     */
> diff --git a/kernel/cgroup.c b/kernel/cgroup.c
> index 250e28e..9e7cf16 100644
> --- a/kernel/cgroup.c
> +++ b/kernel/cgroup.c
> @@ -241,7 +241,6 @@ static void unlink_css_set(struct css_set *cg)
> {
>     write_lock(&css_set_lock);
>     hlist_del(&cg->hlist);
> -    list_del(&cg->list);
>     css_set_count--;
>     while (!list_empty(&cg->cg_links)) {
>         struct cg_cgroup_link *link;
```

```

> @@ -476,8 +475,6 @@ static struct css_set *find_css_set(
>
>     BUG_ON(!list_empty(&tmp_cg_links));
>
> -     /* Link this cgroup group into the list */
> -     list_add(&res->list, &init_css_set.list);
>     css_set_count++;
>
>     /* Add this cgroup group to the hash table */
> @@ -962,7 +959,7 @@ static int cgroup_get_sb(struct file_system_type *fs_type,
>     int ret = 0;
>     struct super_block *sb;
>     struct cgroupfs_root *root;
> -     struct list_head tmp_cg_links, *l;
> +     struct list_head tmp_cg_links;
>     INIT_LIST_HEAD(&tmp_cg_links);
>
>     /* First find the desired set of subsystems */
> @@ -1004,6 +1001,7 @@ static int cgroup_get_sb(struct file_system_type *fs_type,
>         /* New superblock */
>         struct cgroup *cgrp = &root->top_cgroup;
>         struct inode *inode;
> +         int i;
>
>         BUG_ON(sb->s_root != NULL);
>
> @@ -1048,22 +1046,25 @@ static int cgroup_get_sb(struct file_system_type *fs_type,
>         /* Link the top cgroup in this hierarchy into all
>          * the css_set objects */
>         write_lock(&css_set_lock);
> -         l = &init_css_set.list;
> -         do {
> +             for (i = 0; i < CSS_SET_TABLE_SIZE; i++) {
> +                 struct hlist_head *hhead = &css_set_table[i];
> +                 struct hlist_node *node;
> +                 struct css_set *cg;
> +                 struct cg_cgroup_link *link;
> +                 cg = list_entry(l, struct css_set, list);
> +                 BUG_ON(list_empty(&tmp_cg_links));
> +                 link = list_entry(tmp_cg_links.next,
> +                               struct cg_cgroup_link,
> +                               cgrp_link_list);
> +                 list_del(&link->cgrp_link_list);
> +                 link->cg = cg;
> +                 list_add(&link->cgrp_link_list,
> +                         &root->top_cgroup.css_sets);
> +                 list_add(&link->cg_link_list, &cg->cg_links);
> +                 l = l->next;

```

```

> -         } while (l != &init_css_set.list);
> +
> +             hlist_for_each_entry(cg, node, hhead, hlist) {
> +                 struct cg_cgroup_link *link;
> +
> +                     BUG_ON(list_empty(&tmp_cg_links));
> +                     link = list_entry(tmp_cg_links.next,
> +                                     struct cg_cgroup_link,
> +                                     cgrp_link_list);
> +                     list_del(&link->cgrp_link_list);
> +                     link->cg = cg;
> +                     list_add(&link->cgrp_link_list,
> +                             &root->top_cgroup.css_sets);
> +                     list_add(&link->cg_link_list, &cg->cg_links);
> +             }
> +         }
>         write_unlock(&css_set_lock);
>
>         free_cg_links(&tmp_cg_links);
> @@ -2508,7 +2509,6 @@ int __init cgroup_init_early(void)
>     int i;
>     kref_init(&init_css_set.ref);
>     kref_get(&init_css_set.ref);
> -     INIT_LIST_HEAD(&init_css_set.list);
> -     INIT_LIST_HEAD(&init_css_set.cg_links);
> -     INIT_LIST_HEAD(&init_css_set.tasks);
> -     INIT_HLIST_NODE(&init_css_set.hlist);
> --
> 1.5.4.rc3
>

```

Containers mailing list
 Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>
