
Subject: RE: [RFC][patch 8/11][CFQ-cgroup] Control cfq_data per cgroup
Posted by [Satoshi UCHIDA](#) on Fri, 04 Apr 2008 09:46:53 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi,

>
> On Thu, Apr 3, 2008 at 11:20 PM, Satoshi UCHIDA <s-uchida@ap.jp.nec.com>
> wrote:
> >
> > So that you say, root subsystem state maybe keep a reference locally.
> > For example, create a variable for root subsystem state and
> > store the pointer when making subsystem state first.
>
> Yes, that's what I'm suggesting.
>
> >
> > However, I think that it is smart to calculate root group of subsystems
> > when needing its information.
>
> I don't see why it's better to go through the cgroup subsystem to
> retrieve the reference.
>

If program have temporary data, it may cause inconsistency.
I think that information should be referred to original(control mechanism).

Information of cgroup is controlled at cgroup subsystem (and cgroupfs_root).
So, I think that it's better to query into cgroup subsystem.

Now, cgroup subsystem would not change root group.
Therefore, system would also runs by your suggestion.

I will consider this issue.

Thanks,
Satoshi UCHIDA.

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>
