
Subject: Re: Porting old server inside VE
Posted by [dahas](#) on Wed, 09 Apr 2008 20:27:57 GMT
[View Forum Message](#) <> [Reply to Message](#)

He he this kind of info I looking for.

That is the easy way I guess. My way for Ubuntu will be reinstall application on clean VE and move data like mysql database and email inside we using normal way (phpmyadmin or similar). Till now i deal with 3 problems 1 was time drifting but was fixed w/o my know intervention strange not? 2 was the pure-ftpd-mysql who need some strange permissions b4 can work (I use it for a long time and never got a security problem from that) and 3 netstat i guess need to be patched because he dont show UDP used ports yelling for about that.

Here 1 example:

On VE give this netstat -atpun

```
root@ubuntu-7-10:/# netstat -atpun
```

Active Internet connections (servers and established)

Proto	Recv-Q	Send-Q	Local Address	Foreign Address	State	PID/Program name
tcp	0	0	0.0.0.0:443	0.0.0.0:*	LISTEN	877/apache2
tcp	0	0	127.0.0.1:3306	0.0.0.0:*	LISTEN	554/mysqld
tcp	0	0	0.0.0.0:80	0.0.0.0:*	LISTEN	877/apache2
tcp	0	0	0.0.0.0:21	0.0.0.0:*	LISTEN	790/pure-ftpd (SERV
tcp	0	0	10.10.10.101:53	0.0.0.0:*	LISTEN	438/named
tcp	0	0	127.0.0.1:53	0.0.0.0:*	LISTEN	438/named
tcp	0	0	0.0.0.0:25	0.0.0.0:*	LISTEN	777/master
tcp	0	0	127.0.0.1:953	0.0.0.0:*	LISTEN	438/named

netstat: no support for `AF_INET (udp)' on this system.

if I run same command on HN I see named udp ports used.

HV is CentOS 5.1 x64

VE is Ubuntu 7.10 x64 (i will reconsider to move it on i386 because i still have old P4 at 3Ghz w/o x64 flag and if i will plan to make a backup 1 of them i cant run the VE inside that machine and i bet i don't get to much speed from x64 programs)

Btw I like spell checker and use it
