

---

Subject: [PATCH 0/3] clone64() and unshare64() system calls  
Posted by [Sukadev Bhattiprolu](#) on Wed, 09 Apr 2008 22:26:11 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

This is a resend of the patch set Cedric had sent earlier. I ported the patch set to 2.6.25-rc8-mm1 and tested on x86 and x86\_64.

---

We have run out of the 32 bits in clone\_flags !

This patchset introduces 2 new system calls which support 64bit clone-flags.

```
long sys_clone64(unsigned long flags_high, unsigned long flags_low,  
unsigned long newsp);
```

```
long sys_unshare64(unsigned long flags_high, unsigned long flags_low);
```

The current version of clone64() does not support CLONE\_PARENT\_SETTID and CLONE\_CHILD\_CLEARTID because we would exceed the 6 registers limit of some arches. It's possible to get around this limitation but we might not need it as we already have clone()

This is work in progress but already includes support for x86, x86\_64, x86\_64(32), ppc64, ppc64(32), s390x, s390x(31).

ia64 already supports 64bits clone flags through the clone2() syscall.  
should we harmonize the name to clone2 ?

---

Containers mailing list  
[Containers@lists.linux-foundation.org](mailto:Containers@lists.linux-foundation.org)  
<https://lists.linux-foundation.org/mailman/listinfo/containers>

---