

---

Subject: [PATCH 1/3] change clone\_flags type to u64  
Posted by [Sukadev Bhattiprolu](#) on Wed, 09 Apr 2008 22:32:31 GMT  
[View Forum Message](#) <> [Reply to Message](#)

---

From: Sukadev Bhattiprolu <sukadev@us.ibm.com>  
Subject: [lxc-dev] [patch -lxc 1/3] change clone\_flags type to u64

This is a preliminary patch changing the clone\_flags type to 64bits for all the routines called by do\_fork().

It prepares ground for the next patch which introduces an enhanced version of clone() supporting 64bits flags.

This is work in progress. All conversions might not be done yet.

Signed-off-by: Cedric Le Goater <clg@fr.ibm.com>  
Signed-off-by: Sukadev Bhattiprolu <sukadev@us.ibm.com>

---

arch/alpha/kernel/process.c		2 +-
arch/arm/kernel/process.c		2 +-
arch/avr32/kernel/process.c		2 +-
arch/blackfin/kernel/process.c		2 +-
arch/cris/arch-v10/kernel/process.c		2 +-
arch/cris/arch-v32/kernel/process.c		2 +-
arch/frv/kernel/process.c		2 +-
arch/h8300/kernel/process.c		2 +-
arch/ia64/ia32/sys_ia32.c		2 +-
arch/ia64/kernel/process.c		2 +-
arch/m32r/kernel/process.c		2 +-
arch/m68k/kernel/process.c		2 +-
arch/m68knommu/kernel/process.c		2 +-
arch/mips/kernel/process.c		2 +-
arch/mn10300/kernel/process.c		2 +-
arch/parisc/kernel/process.c		2 +-
arch/powerpc/kernel/process.c		2 +-
arch/s390/kernel/process.c		2 +-
arch/sh/kernel/process_32.c		2 +-
arch/sh/kernel/process_64.c		2 +-
arch/sparc/kernel/process.c		2 +-
arch/sparc64/kernel/process.c		2 +-
arch/um/kernel/process.c		2 +-
arch/v850/kernel/process.c		2 +-
arch/x86/kernel/process_32.c		2 +-
arch/x86/kernel/process_64.c		2 +-
arch/xtensa/kernel/process.c		2 +-
fs/namespace.c		2 +-
include/linux/ipc_namespace.h		4 +++
include/linux/key.h		2 +-

```

include/linux/mnt_namespace.h    | 2 +-
include/linux/nsproxy.h         | 4 +++-
include/linux/pid_namespace.h   | 4 +++-
include/linux/sched.h           | 6 +++++-
include/linux/security.h        | 6 +++++-
include/linux/sem.h             | 4 +++-
include/linux/user_namespace.h  | 4 +++-
include/linux/utsname.h         | 4 +++-
include/net/net_namespace.h     | 4 +++-
ipc/namespace.c                 | 2 +-
ipc/sem.c                       | 2 +-
kernel/fork.c                   | 36 ++++++-----
kernel/nsproxy.c                | 6 +++-
kernel/pid_namespace.c          | 2 +-
kernel/user_namespace.c         | 2 +-
kernel/utsname.c                | 2 +-
net/core/net_namespace.c       | 4 +++-
security/dummy.c                | 2 +-
security/keys/process_keys.c    | 2 +-
security/security.c             | 2 +-
security/selinux/hooks.c        | 2 +-
51 files changed, 83 insertions(+), 81 deletions(-)

```

Index: 2.6.25-rc2-mm1/arch/alpha/kernel/process.c

```

=====
--- 2.6.25-rc2-mm1.orig/arch/alpha/kernel/process.c
+++ 2.6.25-rc2-mm1/arch/alpha/kernel/process.c
@@ -270,7 +270,7 @@ alpha_vfork(struct pt_regs *regs)
 */

```

int

```

-copy_thread(int nr, unsigned long clone_flags, unsigned long usp,
+copy_thread(int nr, u64 clone_flags, unsigned long usp,
             unsigned long unused,
             struct task_struct * p, struct pt_regs * regs)

```

{

Index: 2.6.25-rc2-mm1/arch/arm/kernel/process.c

```

=====
--- 2.6.25-rc2-mm1.orig/arch/arm/kernel/process.c
+++ 2.6.25-rc2-mm1/arch/arm/kernel/process.c
@@ -331,7 +331,7 @@ void release_thread(struct task_struct *
asmlinkage void ret_from_fork(void) __asm__("ret_from_fork");

```

int

```

-copy_thread(int nr, unsigned long clone_flags, unsigned long stack_start,
+copy_thread(int nr, u64 clone_flags, unsigned long stack_start,
             unsigned long stk_sz, struct task_struct *p, struct pt_regs *regs)

```

{

```
struct thread_info *thread = task_thread_info(p);
Index: 2.6.25-rc2-mm1/arch/avr32/kernel/process.c
```

```
-----
--- 2.6.25-rc2-mm1.orig/arch/avr32/kernel/process.c
+++ 2.6.25-rc2-mm1/arch/avr32/kernel/process.c
@@ -325,7 +325,7 @@ int dump_fpu(struct pt_regs *regs, elf_f
```

```
asmlinkage void ret_from_fork(void);
```

```
-int copy_thread(int nr, unsigned long clone_flags, unsigned long usp,
+int copy_thread(int nr, u64 clone_flags, unsigned long usp,
    unsigned long unused,
    struct task_struct *p, struct pt_regs *regs)
```

```
{
```

```
Index: 2.6.25-rc2-mm1/arch/blackfin/kernel/process.c
```

```
-----
--- 2.6.25-rc2-mm1.orig/arch/blackfin/kernel/process.c
+++ 2.6.25-rc2-mm1/arch/blackfin/kernel/process.c
@@ -168,7 +168,7 @@ asmlinkage int bfin_clone(struct pt_regs
}
```

```
int
```

```
-copy_thread(int nr, unsigned long clone_flags,
+copy_thread(int nr, u64 clone_flags,
    unsigned long usp, unsigned long topstk,
    struct task_struct *p, struct pt_regs *regs)
```

```
{
```

```
Index: 2.6.25-rc2-mm1/arch/cris/arch-v10/kernel/process.c
```

```
-----
--- 2.6.25-rc2-mm1.orig/arch/cris/arch-v10/kernel/process.c
+++ 2.6.25-rc2-mm1/arch/cris/arch-v10/kernel/process.c
@@ -115,7 +115,7 @@ int kernel_thread(int (*fn)(void *), voi
*/
```

```
asmlinkage void ret_from_fork(void);
```

```
-int copy_thread(int nr, unsigned long clone_flags, unsigned long usp,
+int copy_thread(int nr, u64 clone_flags, unsigned long usp,
    unsigned long unused,
    struct task_struct *p, struct pt_regs *regs)
```

```
{
```

```
Index: 2.6.25-rc2-mm1/arch/cris/arch-v32/kernel/process.c
```

```
-----
--- 2.6.25-rc2-mm1.orig/arch/cris/arch-v32/kernel/process.c
+++ 2.6.25-rc2-mm1/arch/cris/arch-v32/kernel/process.c
@@ -131,7 +131,7 @@ kernel_thread(int (*fn)(void *), void *
extern asmlinkage void ret_from_fork(void);
```

```
int
```

```
-copy_thread(int nr, unsigned long clone_flags, unsigned long usp,  
+copy_thread(int nr, u64 clone_flags, unsigned long usp,  
  unsigned long unused,  
  struct task_struct *p, struct pt_regs *regs)  
{
```

Index: 2.6.25-rc2-mm1/arch/frv/kernel/process.c

```
=====  
--- 2.6.25-rc2-mm1.orig/arch/frv/kernel/process.c  
+++ 2.6.25-rc2-mm1/arch/frv/kernel/process.c  
@@ -204,7 +204,7 @@ void prepare_to_copy(struct task_struct  
/*  
 * set up the kernel stack and exception frames for a new process  
*/
```

```
-int copy_thread(int nr, unsigned long clone_flags,  
+int copy_thread(int nr, u64 clone_flags,  
  unsigned long usp, unsigned long topstk,  
  struct task_struct *p, struct pt_regs *regs)  
{
```

Index: 2.6.25-rc2-mm1/arch/h8300/kernel/process.c

```
=====  
--- 2.6.25-rc2-mm1.orig/arch/h8300/kernel/process.c  
+++ 2.6.25-rc2-mm1/arch/h8300/kernel/process.c  
@@ -192,7 +192,7 @@ asmlinkage int h8300_clone(struct pt_reg
```

```
}  
  
-int copy_thread(int nr, unsigned long clone_flags,  
+int copy_thread(int nr, u64 clone_flags,  
  unsigned long usp, unsigned long topstk,  
  struct task_struct * p, struct pt_regs * regs)  
{
```

Index: 2.6.25-rc2-mm1/arch/ia64/ia32/sys\_ia32.c

```
=====  
--- 2.6.25-rc2-mm1.orig/arch/ia64/ia32/sys_ia32.c  
+++ 2.6.25-rc2-mm1/arch/ia64/ia32/sys_ia32.c  
@@ -734,7 +734,7 @@ __ia32_copy_pp_list(struct ia64_partial_
```

```
int  
ia32_copy_ia64_partial_page_list(struct task_struct *p,  
-  unsigned long clone_flags)  
+  u64 clone_flags)  
{  
  int retval = 0;
```

Index: 2.6.25-rc2-mm1/arch/ia64/kernel/process.c

```
=====  
--- 2.6.25-rc2-mm1.orig/arch/ia64/kernel/process.c  
+++ 2.6.25-rc2-mm1/arch/ia64/kernel/process.c
```

```

@@ -402,7 +402,7 @@ ia64_load_extra (struct task_struct *tas
 * so there is nothing to worry about.
 */
int
-copy_thread (int nr, unsigned long clone_flags,
+copy_thread(int nr, u64 clone_flags,
      unsigned long user_stack_base, unsigned long user_stack_size,
      struct task_struct *p, struct pt_regs *regs)

```

```

{
Index: 2.6.25-rc2-mm1/arch/m32r/kernel/process.c
=====

```

```

--- 2.6.25-rc2-mm1.orig/arch/m32r/kernel/process.c
+++ 2.6.25-rc2-mm1/arch/m32r/kernel/process.c
@@ -242,7 +242,7 @@ int dump_fpu(struct pt_regs *regs, elf_f
 return 0; /* Task didn't use the fpu at all. */
}

```

```

-int copy_thread(int nr, unsigned long clone_flags, unsigned long spu,
+int copy_thread(int nr, u64 clone_flags, unsigned long spu,
      unsigned long unused, struct task_struct *tsk, struct pt_regs *regs)
{
  struct pt_regs *childregs = task_pt_regs(tsk);

```

```

Index: 2.6.25-rc2-mm1/arch/m68k/kernel/process.c
=====

```

```

--- 2.6.25-rc2-mm1.orig/arch/m68k/kernel/process.c
+++ 2.6.25-rc2-mm1/arch/m68k/kernel/process.c
@@ -235,7 +235,7 @@ asmlinkage int m68k_clone(struct pt_regs
      parent_tidptr, child_tidptr);
}

```

```

-int copy_thread(int nr, unsigned long clone_flags, unsigned long usp,
+int copy_thread(int nr, u64 clone_flags, unsigned long usp,
      unsigned long unused,
      struct task_struct * p, struct pt_regs * regs)
{

```

```

Index: 2.6.25-rc2-mm1/arch/m68knommu/kernel/process.c
=====

```

```

--- 2.6.25-rc2-mm1.orig/arch/m68knommu/kernel/process.c
+++ 2.6.25-rc2-mm1/arch/m68knommu/kernel/process.c
@@ -200,7 +200,7 @@ asmlinkage int m68k_clone(struct pt_regs
      return do_fork(clone_flags, newsp, regs, 0, NULL, NULL);
}

```

```

-int copy_thread(int nr, unsigned long clone_flags,
+int copy_thread(int nr, u64 clone_flags,
      unsigned long usp, unsigned long topstk,
      struct task_struct * p, struct pt_regs * regs)
{

```

Index: 2.6.25-rc2-mm1/arch/mips/kernel/process.c

=====  
--- 2.6.25-rc2-mm1.orig/arch/mips/kernel/process.c

+++ 2.6.25-rc2-mm1/arch/mips/kernel/process.c

@@ -100,7 +100,7 @@ void flush\_thread(void)

```
{  
}
```

-int copy\_thread(int nr, unsigned long clone\_flags, unsigned long usp,

+int copy\_thread(int nr, u64 clone\_flags, unsigned long usp,  
 unsigned long unused, struct task\_struct \*p, struct pt\_regs \*regs)

```
{  
  struct thread_info *ti = task_thread_info(p);
```

Index: 2.6.25-rc2-mm1/arch/mn10300/kernel/process.c

=====  
--- 2.6.25-rc2-mm1.orig/arch/mn10300/kernel/process.c

+++ 2.6.25-rc2-mm1/arch/mn10300/kernel/process.c

@@ -193,7 +193,7 @@ void prepare\_to\_copy(struct task\_struct

```
  * set up the kernel stack for a new thread and copy arch-specific thread  
  * control information  
  */
```

-int copy\_thread(int nr, unsigned long clone\_flags,

+int copy\_thread(int nr, u64 clone\_flags,  
 unsigned long c\_esp, unsigned long ustk\_size,  
 struct task\_struct \*p, struct pt\_regs \*kregs)

```
{
```

Index: 2.6.25-rc2-mm1/arch/parisc/kernel/process.c

=====  
--- 2.6.25-rc2-mm1.orig/arch/parisc/kernel/process.c

+++ 2.6.25-rc2-mm1/arch/parisc/kernel/process.c

@@ -263,7 +263,7 @@ sys\_vfork(struct pt\_regs \*regs)

```
}
```

int

-copy\_thread(int nr, unsigned long clone\_flags, unsigned long usp,

+copy\_thread(int nr, u64 clone\_flags, unsigned long usp,  
 unsigned long unused, /\* in ia64 this is "user\_stack\_size" \*/  
 struct task\_struct \*p, struct pt\_regs \*pregs)

```
{
```

Index: 2.6.25-rc2-mm1/arch/powerpc/kernel/process.c

=====  
--- 2.6.25-rc2-mm1.orig/arch/powerpc/kernel/process.c

+++ 2.6.25-rc2-mm1/arch/powerpc/kernel/process.c

@@ -534,7 +534,7 @@ void prepare\_to\_copy(struct task\_struct

```
/*
```

```
 * Copy a thread..
```

```
*/
```

-int copy\_thread(int nr, unsigned long clone\_flags, unsigned long usp,

```
+int copy_thread(int nr, u64 clone_flags, unsigned long usp,
  unsigned long unused, struct task_struct *p,
  struct pt_regs *regs)
{
```

```
Index: 2.6.25-rc2-mm1/arch/s390/kernel/process.c
```

```
-----
--- 2.6.25-rc2-mm1.orig/arch/s390/kernel/process.c
```

```
+++ 2.6.25-rc2-mm1/arch/s390/kernel/process.c
```

```
@@ -243,7 +243,7 @@ void release_thread(struct task_struct *
```

```
{
}
```

```
-int copy_thread(int nr, unsigned long clone_flags, unsigned long new_stackp,
+int copy_thread(int nr, u64 clone_flags, unsigned long new_stackp,
  unsigned long unused,
  struct task_struct * p, struct pt_regs * regs)
{
```

```
Index: 2.6.25-rc2-mm1/arch/sh/kernel/process_32.c
```

```
-----
--- 2.6.25-rc2-mm1.orig/arch/sh/kernel/process_32.c
```

```
+++ 2.6.25-rc2-mm1/arch/sh/kernel/process_32.c
```

```
@@ -232,7 +232,7 @@ int dump_fpu(struct pt_regs *regs, elf_f
```

```
asmlinkage void ret_from_fork(void);
```

```
-int copy_thread(int nr, unsigned long clone_flags, unsigned long usp,
+int copy_thread(int nr, u64 clone_flags, unsigned long usp,
  unsigned long unused,
  struct task_struct *p, struct pt_regs *regs)
{
```

```
Index: 2.6.25-rc2-mm1/arch/sh/kernel/process_64.c
```

```
-----
--- 2.6.25-rc2-mm1.orig/arch/sh/kernel/process_64.c
```

```
+++ 2.6.25-rc2-mm1/arch/sh/kernel/process_64.c
```

```
@@ -500,7 +500,7 @@ int dump_fpu(struct pt_regs *regs, elf_f
```

```
asmlinkage void ret_from_fork(void);
```

```
-int copy_thread(int nr, unsigned long clone_flags, unsigned long usp,
+int copy_thread(int nr, u64 clone_flags, unsigned long usp,
  unsigned long unused,
  struct task_struct *p, struct pt_regs *regs)
{
```

```
Index: 2.6.25-rc2-mm1/arch/sparc/kernel/process.c
```

```
-----
--- 2.6.25-rc2-mm1.orig/arch/sparc/kernel/process.c
```

```
+++ 2.6.25-rc2-mm1/arch/sparc/kernel/process.c
```

```
@@ -454,7 +454,7 @@ asmlinkage int sparc_do_fork(unsigned lo
```

```

*/
extern void ret_from_fork(void);

-int copy_thread(int nr, unsigned long clone_flags, unsigned long sp,
+int copy_thread(int nr, u64 clone_flags, unsigned long sp,
    unsigned long unused,
    struct task_struct *p, struct pt_regs *regs)
{
Index: 2.6.25-rc2-mm1/arch/sparc64/kernel/process.c
=====
--- 2.6.25-rc2-mm1.orig/arch/sparc64/kernel/process.c
+++ 2.6.25-rc2-mm1/arch/sparc64/kernel/process.c
@@ -617,7 +617,7 @@ asmlinkage long sparc_do_fork(unsigned l
 * Parent --> %o0 == childs pid, %o1 == 0
 * Child --> %o0 == parents pid, %o1 == 1
*/
-int copy_thread(int nr, unsigned long clone_flags, unsigned long sp,
+int copy_thread(int nr, u64 clone_flags, unsigned long sp,
    unsigned long unused,
    struct task_struct *p, struct pt_regs *regs)
{
Index: 2.6.25-rc2-mm1/arch/um/kernel/process.c
=====
--- 2.6.25-rc2-mm1.orig/arch/um/kernel/process.c
+++ 2.6.25-rc2-mm1/arch/um/kernel/process.c
@@ -181,7 +181,7 @@ void fork_handler(void)
    userspace(&current->thread.regs.regs);
}

-int copy_thread(int nr, unsigned long clone_flags, unsigned long sp,
+int copy_thread(int nr, u64 clone_flags, unsigned long sp,
    unsigned long stack_top, struct task_struct * p,
    struct pt_regs *regs)
{
Index: 2.6.25-rc2-mm1/arch/v850/kernel/process.c
=====
--- 2.6.25-rc2-mm1.orig/arch/v850/kernel/process.c
+++ 2.6.25-rc2-mm1/arch/v850/kernel/process.c
@@ -110,7 +110,7 @@ void flush_thread (void)
    set_fs (USER_DS);
}

-int copy_thread (int nr, unsigned long clone_flags,
+int copy_thread(int nr, u64 clone_flags,
    unsigned long stack_start, unsigned long stack_size,
    struct task_struct *p, struct pt_regs *regs)
{
Index: 2.6.25-rc2-mm1/arch/x86/kernel/process_32.c

```



```

=====
--- 2.6.25-rc2-mm1.orig/arch/x86/kernel/process_32.c
+++ 2.6.25-rc2-mm1/arch/x86/kernel/process_32.c
@@ -494,7 +494,7 @@ void prepare_to_copy(struct task_struct
    unlazy_fpu(tsk);
}

-int copy_thread(int nr, unsigned long clone_flags, unsigned long sp,
+int copy_thread(int nr, u64 clone_flags, unsigned long sp,
    unsigned long unused,
    struct task_struct * p, struct pt_regs * regs)
{
Index: 2.6.25-rc2-mm1/arch/x86/kernel/process_64.c
=====
--- 2.6.25-rc2-mm1.orig/arch/x86/kernel/process_64.c
+++ 2.6.25-rc2-mm1/arch/x86/kernel/process_64.c
@@ -491,7 +491,7 @@ void prepare_to_copy(struct task_struct
    unlazy_fpu(tsk);
}

-int copy_thread(int nr, unsigned long clone_flags, unsigned long sp,
+int copy_thread(int nr, u64 clone_flags, unsigned long sp,
    unsigned long unused,
    struct task_struct * p, struct pt_regs * regs)
{
Index: 2.6.25-rc2-mm1/arch/xtensa/kernel/process.c
=====
--- 2.6.25-rc2-mm1.orig/arch/xtensa/kernel/process.c
+++ 2.6.25-rc2-mm1/arch/xtensa/kernel/process.c
@@ -172,7 +172,7 @@ void prepare_to_copy(struct task_struct
 *   childregs.
 */

-int copy_thread(int nr, unsigned long clone_flags, unsigned long usp,
+int copy_thread(int nr, u64 clone_flags, unsigned long usp,
    unsigned long unused,
        struct task_struct * p, struct pt_regs * regs)
{
Index: 2.6.25-rc2-mm1/include/linux/key.h
=====
--- 2.6.25-rc2-mm1.orig/include/linux/key.h
+++ 2.6.25-rc2-mm1/include/linux/key.h
@@ -269,7 +269,7 @@ extern struct key root_user_keyring, roo
extern int alloc_uid_keyring(struct user_struct *user,
    struct task_struct *ctx);
extern void switch_uid_keyring(struct user_struct *new_user);
-extern int copy_keys(unsigned long clone_flags, struct task_struct *tsk);
+extern int copy_keys(u64 clone_flags, struct task_struct *tsk);

```

```
extern int copy_thread_group_keys(struct task_struct *tsk);
extern void exit_keys(struct task_struct *tsk);
extern void exit_thread_group_keys(struct signal_struct *tg);
Index: 2.6.25-rc2-mm1/include/linux/sched.h
```

```
=====
--- 2.6.25-rc2-mm1.orig/include/linux/sched.h
+++ 2.6.25-rc2-mm1/include/linux/sched.h
@@ -1761,7 +1761,8 @@ extern struct mm_struct *get_task_mm(str
/* Remove the current tasks stale references to the old mm_struct */
extern void mm_release(struct task_struct *, struct mm_struct *);
```

```
-extern int copy_thread(int, unsigned long, unsigned long, unsigned long, struct task_struct *,
struct pt_regs *);
+extern int copy_thread(int, u64, unsigned long, unsigned long,
+ struct task_struct *, struct pt_regs *);
extern void flush_thread(void);
extern void exit_thread(void);
```

```
@@ -1777,7 +1778,8 @@ extern int allow_signal(int);
extern int disallow_signal(int);
```

```
extern int do_execve(char *, char __user * __user *, char __user * __user *, struct pt_regs *);
-extern long do_fork(unsigned long, unsigned long, struct pt_regs *, unsigned long, int __user *,
int __user *);
+extern long do_fork(u64, unsigned long, struct pt_regs *, unsigned long,
+ int __user *, int __user *);
struct task_struct *fork_idle(int);
```

```
extern void set_task_comm(struct task_struct *tsk, char *from);
Index: 2.6.25-rc2-mm1/include/linux/security.h
```

```
=====
--- 2.6.25-rc2-mm1.orig/include/linux/security.h
+++ 2.6.25-rc2-mm1/include/linux/security.h
@@ -1332,7 +1332,7 @@ struct security_operations {
int (*file_receive) (struct file * file);
int (*dentry_open) (struct file *file);

- int (*task_create) (unsigned long clone_flags);
+ int (*task_create) (u64 clone_flags);
int (*task_alloc_security) (struct task_struct * p);
void (*task_free_security) (struct task_struct * p);
int (*task_setuid) (uid_t id0, uid_t id1, uid_t id2, int flags);
@@ -1587,7 +1587,7 @@ int security_file_send_sigiotask(struct
struct fown_struct *fown, int sig);
int security_file_receive(struct file *file);
int security_dentry_open(struct file *file);
-int security_task_create(unsigned long clone_flags);
+int security_task_create(u64 clone_flags);
```

```
int security_task_alloc(struct task_struct *p);
void security_task_free(struct task_struct *p);
int security_task_setuid(uid_t id0, uid_t id1, uid_t id2, int flags);
@@ -2053,7 +2053,7 @@ static inline int security_dentry_open (
    return 0;
}
```

```
-static inline int security_task_create (unsigned long clone_flags)
+static inline int security_task_create(u64 clone_flags)
{
    return 0;
}
```

Index: 2.6.25-rc2-mm1/include/linux/sem.h

```
=====
--- 2.6.25-rc2-mm1.orig/include/linux/sem.h
+++ 2.6.25-rc2-mm1/include/linux/sem.h
@@ -139,11 +139,11 @@ struct sysv_sem {
```

```
#ifdef CONFIG_SYSVIPC
```

```
-extern int copy_semundo(unsigned long clone_flags, struct task_struct *tsk);
+extern int copy_semundo(u64 clone_flags, struct task_struct *tsk);
extern void exit_sem(struct task_struct *tsk);
```

```
#else
```

```
-static inline int copy_semundo(unsigned long clone_flags, struct task_struct *tsk)
+static inline int copy_semundo(u64 clone_flags, struct task_struct *tsk)
{
    return 0;
}
```

Index: 2.6.25-rc2-mm1/ipc/sem.c

```
=====
--- 2.6.25-rc2-mm1.orig/ipc/sem.c
+++ 2.6.25-rc2-mm1/ipc/sem.c
@@ -1212,7 +1212,7 @@ asmlinkage long sys_semop (int semid, st
 * parent and child tasks.
 */
```

```
-int copy_semundo(unsigned long clone_flags, struct task_struct *tsk)
+int copy_semundo(u64 clone_flags, struct task_struct *tsk)
{
```

```
    struct sem_undo_list *undo_list;
    int error;
Index: 2.6.25-rc2-mm1/kernel/fork.c
```

```
=====
--- 2.6.25-rc2-mm1.orig/kernel/fork.c
+++ 2.6.25-rc2-mm1/kernel/fork.c
@@ -549,7 +549,7 @@ fail_nocontext:
```

```

return NULL;
}

-static int copy_mm(unsigned long clone_flags, struct task_struct * tsk)
+static int copy_mm(u64 clone_flags, struct task_struct *tsk)
{
    struct mm_struct * mm, *oldmm;
    int retval;
@@ -625,7 +625,7 @@ struct fs_struct *copy_fs_struct(struct

EXPORT_SYMBOL_GPL(copy_fs_struct);

-static int copy_fs(unsigned long clone_flags, struct task_struct *tsk)
+static int copy_fs(u64 clone_flags, struct task_struct *tsk)
{
    if (clone_flags & CLONE_FS) {
        atomic_inc(&current->fs->count);
@@ -767,7 +767,7 @@ out:
    return NULL;
}

-static int copy_files(unsigned long clone_flags, struct task_struct * tsk)
+static int copy_files(u64 clone_flags, struct task_struct *tsk)
{
    struct files_struct *oldf, *newf;
    int error = 0;
@@ -800,7 +800,7 @@ out:
    return error;
}

-static int copy_io(unsigned long clone_flags, struct task_struct *tsk)
+static int copy_io(u64 clone_flags, struct task_struct *tsk)
{
#ifdef CONFIG_BLOCK
    struct io_context *ioc = current->io_context;
@@ -853,7 +853,7 @@ int unshare_files(void)

EXPORT_SYMBOL(unshare_files);

-static int copy_sighand(unsigned long clone_flags, struct task_struct *tsk)
+static int copy_sighand(u64 clone_flags, struct task_struct *tsk)
{
    struct sighand_struct *sig;

@@ -876,7 +876,7 @@ void __cleanup_sighand(struct sighand_st
    kmem_cache_free(sighand_cachep, sighand);
}

```

```

-static int copy_signal(unsigned long clone_flags, struct task_struct *tsk)
+static int copy_signal(u64 clone_flags, struct task_struct *tsk)
{
    struct signal_struct *sig;
    int ret;
@@ -967,7 +967,7 @@ static void cleanup_signal(struct task_s
    __cleanup_signal(sig);
}

-static void copy_flags(unsigned long clone_flags, struct task_struct *p)
+static void copy_flags(u64 clone_flags, struct task_struct *p)
{
    unsigned long new_flags = p->flags;

@@ -1003,7 +1003,7 @@ static void rt_mutex_init_task(struct ta
    * parts of the process environment (as per the clone
    * flags). The actual kick-off is left to the caller.
    */
-static struct task_struct *copy_process(unsigned long clone_flags,
+static struct task_struct *copy_process(u64 clone_flags,
    unsigned long stack_start,
    struct pt_regs *regs,
    unsigned long stack_size,
@@ -1425,7 +1425,7 @@ struct task_struct * __cpuinit fork_idle
    return task;
}

-static int fork_traceflag(unsigned clone_flags)
+static int fork_traceflag(u64 clone_flags)
{
    if (clone_flags & CLONE_UNTRACED)
        return 0;
@@ -1447,7 +1447,7 @@ static int fork_traceflag(unsigned clone
    * It copies the process, and if successful kick-starts
    * it and waits for it to finish using the VM if required.
    */
-long do_fork(unsigned long clone_flags,
+long do_fork(u64 clone_flags,
    unsigned long stack_start,
    struct pt_regs *regs,
    unsigned long stack_size,
@@ -1469,7 +1469,7 @@ long do_fork(unsigned long clone_flags,
    count--;
    printk(KERN_INFO "fork(): process `%s' used deprecated "
-   "clone flags 0x%lx\n",
+   "clone flags 0x%llx\n",
    get_task_comm(comm, current),

```

```

    clone_flags & CLONE_STOPPED);
}
@@ -1572,7 +1572,7 @@ void __init proc_caches_init(void)
 * Check constraints on flags passed to the unshare system call and
 * force unsharing of additional process context as appropriate.
 */
-static void check_unshare_flags(unsigned long *flags_ptr)
+static void check_unshare_flags(u64 *flags_ptr)
{
 /*
  * If unsharing a thread from a thread group, must also
@@ -1605,7 +1605,7 @@ static void check_unshare_flags(unsigned
 /*
  * Unsharing of tasks created with CLONE_THREAD is not supported yet
 */
-static int unshare_thread(unsigned long unshare_flags)
+static int unshare_thread(u64 unshare_flags)
{
 if (unshare_flags & CLONE_THREAD)
 return -EINVAL;
@@ -1616,7 +1616,7 @@ static int unshare_thread(unsigned long
 /*
  * Unshare the filesystem structure if it is being shared
 */
-static int unshare_fs(unsigned long unshare_flags, struct fs_struct **new_fsp)
+static int unshare_fs(u64 unshare_flags, struct fs_struct **new_fsp)
{
 struct fs_struct *fs = current->fs;

@@ -1633,7 +1633,7 @@ static int unshare_fs(unsigned long unsh
 /*
  * Unsharing of sighand is not supported yet
 */
-static int unshare_sighand(unsigned long unshare_flags, struct sighand_struct **new_sighp)
+static int unshare_sighand(u64 unshare_flags, struct sighand_struct **new_sighp)
{
 struct sighand_struct *sigh = current->sighand;

@@ -1646,7 +1646,7 @@ static int unshare_sighand(unsigned long
 /*
  * Unshare vm if it is being shared
 */
-static int unshare_vm(unsigned long unshare_flags, struct mm_struct **new_mmp)
+static int unshare_vm(u64 unshare_flags, struct mm_struct **new_mmp)
{
 struct mm_struct *mm = current->mm;

@@ -1661,7 +1661,7 @@ static int unshare_vm(unsigned long unsh

```

```

/*
 * Unshare file descriptor table if it is being shared
 */
-static int unshare_fd(unsigned long unshare_flags, struct files_struct **new_fdp)
+static int unshare_fd(u64 unshare_flags, struct files_struct **new_fdp)
{
    struct files_struct *fd = current->files;
    int error = 0;
@@ -1680,7 +1680,7 @@ static int unshare_fd(unsigned long unsh
 * Unsharing of semundo for tasks created with CLONE_SYSVSEM is not
 * supported yet
 */
-static int unshare_semundo(unsigned long unshare_flags, struct sem_undo_list **new_ulistp)
+static int unshare_semundo(u64 unshare_flags, struct sem_undo_list **new_ulistp)
{
    if (unshare_flags & CLONE_SYSVSEM)
        return -EINVAL;
Index: 2.6.25-rc2-mm1/security/dummy.c
=====
--- 2.6.25-rc2-mm1.orig/security/dummy.c
+++ 2.6.25-rc2-mm1/security/dummy.c
@@ -493,7 +493,7 @@ static int dummy_dentry_open (struct fil
    return 0;
}

-static int dummy_task_create (unsigned long clone_flags)
+static int dummy_task_create(u64 clone_flags)
{
    return 0;
}
Index: 2.6.25-rc2-mm1/security/keys/process_keys.c
=====
--- 2.6.25-rc2-mm1.orig/security/keys/process_keys.c
+++ 2.6.25-rc2-mm1/security/keys/process_keys.c
@@ -278,7 +278,7 @@ int copy_thread_group_keys(struct task_s
/*
 * copy the keys for fork
 */
-int copy_keys(unsigned long clone_flags, struct task_struct *tsk)
+int copy_keys(u64 clone_flags, struct task_struct *tsk)
{
    key_check(tsk->thread_keyring);
    key_check(tsk->request_key_auth);
Index: 2.6.25-rc2-mm1/security/security.c
=====
--- 2.6.25-rc2-mm1.orig/security/security.c
+++ 2.6.25-rc2-mm1/security/security.c
@@ -580,7 +580,7 @@ int security_dentry_open(struct file *fi

```

```
    return security_ops->dentry_open(file);
}
```

```
-int security_task_create(unsigned long clone_flags)
+int security_task_create(u64 clone_flags)
{
    return security_ops->task_create(clone_flags);
}
```

Index: 2.6.25-rc2-mm1/security/selinux/hooks.c

```
=====
--- 2.6.25-rc2-mm1.orig/security/selinux/hooks.c
+++ 2.6.25-rc2-mm1/security/selinux/hooks.c
@@ -3036,7 +3036,7 @@ static int selinux_dentry_open(struct fi
```

```
/* task security operations */
```

```
-static int selinux_task_create(unsigned long clone_flags)
+static int selinux_task_create(u64 clone_flags)
{
    int rc;
```

Index: 2.6.25-rc2-mm1/include/linux/nsproxy.h

```
=====
--- 2.6.25-rc2-mm1.orig/include/linux/nsproxy.h
+++ 2.6.25-rc2-mm1/include/linux/nsproxy.h
@@ -62,11 +62,11 @@ static inline struct nsproxy *task_nspro
    return rcu_dereference(tsk->nsproxy);
}
```

```
-int copy_namespaces(unsigned long flags, struct task_struct *tsk);
+int copy_namespaces(u64 clone_flags, struct task_struct *tsk);
void exit_task_namespaces(struct task_struct *tsk);
void switch_task_namespaces(struct task_struct *tsk, struct nsproxy *new);
void free_nsproxy(struct nsproxy *ns);
-int unshare_nsproxy_namespaces(unsigned long, struct nsproxy **,
+int unshare_nsproxy_namespaces(u64, struct nsproxy **,
    struct fs_struct *);
```

```
static inline void put_nsproxy(struct nsproxy *ns)
```

Index: 2.6.25-rc2-mm1/kernel/nsproxy.c

```
=====
--- 2.6.25-rc2-mm1.orig/kernel/nsproxy.c
+++ 2.6.25-rc2-mm1/kernel/nsproxy.c
@@ -47,7 +47,7 @@ static inline struct nsproxy *clone_nspr
    * Return the newly created nsproxy. Do not attach this to the task,
    * leave it to the caller to do proper locking and attach it to task.
    */
```

```
-static struct nsproxy *create_new_namespaces(unsigned long flags,
```



```

+static struct nsproxy *create_new_namespaces(u64 flags,
      struct task_struct *tsk, struct fs_struct *new_fs)
{
    struct nsproxy *new_nsp;
@@ -119,7 +119,7 @@ out_ns:
    * called from clone. This now handles copy for nsproxy and all
    * namespaces therein.
    */
-int copy_namespaces(unsigned long flags, struct task_struct *tsk)
+int copy_namespaces(u64 flags, struct task_struct *tsk)
{
    struct nsproxy *old_ns = tsk->nsproxy;
    struct nsproxy *new_ns;
@@ -178,7 +178,7 @@ void free_nsproxy(struct nsproxy *ns)
    * Called from unshare. Unshare all the namespaces part of nsproxy.
    * On success, returns the new nsproxy.
    */
-int unshare_nsproxy_namespaces(unsigned long unshare_flags,
+int unshare_nsproxy_namespaces(u64 unshare_flags,
      struct nsproxy **new_nsp, struct fs_struct *new_fs)
{
    int err = 0;
Index: 2.6.25-rc2-mm1/fs/namespace.c
=====
--- 2.6.25-rc2-mm1.orig/fs/namespace.c
+++ 2.6.25-rc2-mm1/fs/namespace.c
@@ -1987,7 +1987,7 @@ static struct mnt_namespace *dup_mnt_ns(
    return new_ns;
}

-struct mnt_namespace *copy_mnt_ns(unsigned long flags, struct mnt_namespace *ns,
+struct mnt_namespace *copy_mnt_ns(u64 flags, struct mnt_namespace *ns,
      struct fs_struct *new_fs)
{
    struct mnt_namespace *new_ns;
Index: 2.6.25-rc2-mm1/include/linux/ipc_namespace.h
=====
--- 2.6.25-rc2-mm1.orig/include/linux/ipc_namespace.h
+++ 2.6.25-rc2-mm1/include/linux/ipc_namespace.h
@@ -62,7 +62,7 @@ extern int ipcns_notify(unsigned long);

#if defined(CONFIG_SYSVIPC) && defined(CONFIG_IPC_NS)
extern void free_ipc_ns(struct kref *kref);
-extern struct ipc_namespace *copy_ipcs(unsigned long flags,
+extern struct ipc_namespace *copy_ipcs(u64 flags,
      struct ipc_namespace *ns);
extern void free_ipcs(struct ipc_namespace *ns, struct ipc_ids *ids,
      void (*free)(struct ipc_namespace *),

```

```

@@ -80,7 +80,7 @@ static inline void put_ipc_ns(struct ipc
    kref_put(&ns->kref, free_ipc_ns);
}
#else
-static inline struct ipc_namespace *copy_ipcs(unsigned long flags,
+static inline struct ipc_namespace *copy_ipcs(u64 flags,
    struct ipc_namespace *ns)
{
    if (flags & CLONE_NEWIPC)
Index: 2.6.25-rc2-mm1/include/linux/mnt_namespace.h
=====

```

```

--- 2.6.25-rc2-mm1.orig/include/linux/mnt_namespace.h
+++ 2.6.25-rc2-mm1/include/linux/mnt_namespace.h
@@ -14,7 +14,7 @@ struct mnt_namespace {
    int event;
};

```

```

-extern struct mnt_namespace *copy_mnt_ns(unsigned long, struct mnt_namespace *,
+extern struct mnt_namespace *copy_mnt_ns(u64, struct mnt_namespace *,
    struct fs_struct *);
extern void __put_mnt_ns(struct mnt_namespace *ns);

```

```

Index: 2.6.25-rc2-mm1/include/linux/pid_namespace.h
=====

```

```

--- 2.6.25-rc2-mm1.orig/include/linux/pid_namespace.h
+++ 2.6.25-rc2-mm1/include/linux/pid_namespace.h
@@ -37,7 +37,7 @@ static inline struct pid_namespace *get_
    return ns;
}

```

```

-extern struct pid_namespace *copy_pid_ns(unsigned long flags, struct pid_namespace *ns);
+extern struct pid_namespace *copy_pid_ns(u64 flags, struct pid_namespace *ns);
extern void free_pid_ns(struct kref *kref);
extern void zap_pid_ns_processes(struct pid_namespace *pid_ns);

```

```

@@ -56,7 +56,7 @@ static inline struct pid_namespace *get_
}

```

```

static inline struct pid_namespace *
-copy_pid_ns(unsigned long flags, struct pid_namespace *ns)
+copy_pid_ns(u64 flags, struct pid_namespace *ns)
{
    if (flags & CLONE_NEWPID)
        ns = ERR_PTR(-EINVAL);

```

```

Index: 2.6.25-rc2-mm1/include/linux/user_namespace.h
=====

```

```

--- 2.6.25-rc2-mm1.orig/include/linux/user_namespace.h
+++ 2.6.25-rc2-mm1/include/linux/user_namespace.h

```

```
@@ -26,7 +26,7 @@ static inline struct user_namespace *get
    return ns;
}
```

```
-extern struct user_namespace *copy_user_ns(int flags,
+extern struct user_namespace *copy_user_ns(u64 flags,
    struct user_namespace *old_ns);
extern void free_user_ns(struct kref *kref);
```

```
@@ -43,7 +43,7 @@ static inline struct user_namespace *get
    return &init_user_ns;
}
```

```
-static inline struct user_namespace *copy_user_ns(int flags,
+static inline struct user_namespace *copy_user_ns(u64 flags,
    struct user_namespace *old_ns)
```

```
{
    if (flags & CLONE_NEWUSER)
```

```
Index: 2.6.25-rc2-mm1/include/linux/utsname.h
```

```
=====
```

```
--- 2.6.25-rc2-mm1.orig/include/linux/utsname.h
```

```
+++ 2.6.25-rc2-mm1/include/linux/utsname.h
```

```
@@ -50,7 +50,7 @@ static inline void get_uts_ns(struct uts
    kref_get(&ns->kref);
}
```

```
-extern struct uts_namespace *copy_utsname(unsigned long flags,
+extern struct uts_namespace *copy_utsname(u64 flags,
    struct uts_namespace *ns);
extern void free_uts_ns(struct kref *kref);
```

```
@@ -67,7 +67,7 @@ static inline void put_uts_ns(struct uts
{
}
```

```
-static inline struct uts_namespace *copy_utsname(unsigned long flags,
+static inline struct uts_namespace *copy_utsname(u64 flags,
    struct uts_namespace *ns)
```

```
{
    if (flags & CLONE_NEWUTS)
```

```
Index: 2.6.25-rc2-mm1/include/net/net_namespace.h
```

```
=====
```

```
--- 2.6.25-rc2-mm1.orig/include/net/net_namespace.h
```

```
+++ 2.6.25-rc2-mm1/include/net/net_namespace.h
```

```
@@ -73,9 +73,9 @@ extern struct net init_net;
extern struct list_head net_namespace_list;
```

```
#ifdef CONFIG_NET
```

```

-extern struct net *copy_net_ns(unsigned long flags, struct net *net_ns);
+extern struct net *copy_net_ns(u64 flags, struct net *net_ns);
#else
-static inline struct net *copy_net_ns(unsigned long flags, struct net *net_ns)
+static inline struct net *copy_net_ns(u64 flags, struct net *net_ns)
{
/* There is nothing to copy so this is a noop */
return net_ns;

```

Index: 2.6.25-rc2-mm1/ipc/namespace.c

```

=====
--- 2.6.25-rc2-mm1.orig/ipc/namespace.c
+++ 2.6.25-rc2-mm1/ipc/namespace.c
@@ -38,7 +38,7 @@ static struct ipc_namespace *clone_ipc_n
return ns;
}

```

```

-struct ipc_namespace *copy_ipcs(unsigned long flags, struct ipc_namespace *ns)
+struct ipc_namespace *copy_ipcs(u64 flags, struct ipc_namespace *ns)
{
struct ipc_namespace *new_ns;

```

Index: 2.6.25-rc2-mm1/kernel/pid\_namespace.c

```

=====
--- 2.6.25-rc2-mm1.orig/kernel/pid_namespace.c
+++ 2.6.25-rc2-mm1/kernel/pid_namespace.c
@@ -115,7 +115,7 @@ static void destroy_pid_namespace(struct
kmem_cache_free(pid_ns_cachep, ns);
}

```

```

-struct pid_namespace *copy_pid_ns(unsigned long flags, struct pid_namespace *old_ns)
+struct pid_namespace *copy_pid_ns(u64 flags, struct pid_namespace *old_ns)
{
struct pid_namespace *new_ns;

```

Index: 2.6.25-rc2-mm1/kernel/user\_namespace.c

```

=====
--- 2.6.25-rc2-mm1.orig/kernel/user_namespace.c
+++ 2.6.25-rc2-mm1/kernel/user_namespace.c
@@ -49,7 +49,7 @@ static struct user_namespace *clone_user
return ns;
}

```

```

-struct user_namespace *copy_user_ns(int flags, struct user_namespace *old_ns)
+struct user_namespace *copy_user_ns(u64 flags, struct user_namespace *old_ns)
{
struct user_namespace *new_ns;

```

Index: 2.6.25-rc2-mm1/kernel/utsname.c

```
=====
--- 2.6.25-rc2-mm1.orig/kernel/utsname.c
+++ 2.6.25-rc2-mm1/kernel/utsname.c
@@ -41,7 +41,7 @@ static struct uts_namespace *clone_uts_n
 * utsname of this process won't be seen by parent, and vice
 * versa.
 */
-struct uts_namespace *copy_utsname(unsigned long flags, struct uts_namespace *old_ns)
+struct uts_namespace *copy_utsname(u64 flags, struct uts_namespace *old_ns)
{
 struct uts_namespace *new_ns;
```

Index: 2.6.25-rc2-mm1/net/core/net\_namespace.c

```
=====
--- 2.6.25-rc2-mm1.orig/net/core/net_namespace.c
+++ 2.6.25-rc2-mm1/net/core/net_namespace.c
@@ -79,7 +79,7 @@ static void net_free(struct net *net)
 kmem_cache_free(net_cachep, net);
}

-struct net *copy_net_ns(unsigned long flags, struct net *old_net)
+struct net *copy_net_ns(u64 flags, struct net *old_net)
{
 struct net *new_net = NULL;
 int err;
@@ -155,7 +155,7 @@ void __put_net(struct net *net)
 EXPORT_SYMBOL_GPL(__put_net);

#else
-struct net *copy_net_ns(unsigned long flags, struct net *old_net)
+struct net *copy_net_ns(u64 flags, struct net *old_net)
{
 if (flags & CLONE_NEWNET)
 return ERR_PTR(-EINVAL);
```

--

~~~~~

You received this message because you are subscribed to the Google Groups "lxc-dev" group.  
To post to this group, send email to [lxc-dev@googlegroups.com](mailto:lxc-dev@googlegroups.com)  
To unsubscribe from this group, send email to [lxc-dev-unsubscribe@googlegroups.com](mailto:lxc-dev-unsubscribe@googlegroups.com)  
For more options, visit this group at <http://groups.google.com/group/lxc-dev?hl=en>

~~~~~

---

Containers mailing list  
[Containers@lists.linux-foundation.org](mailto:Containers@lists.linux-foundation.org)  
<https://lists.linux-foundation.org/mailman/listinfo/containers>

---