
Subject: Re: [PATCH -mm] remove node_ prefix_ from ns subsystem
Posted by [Paul Menage](#) on Thu, 22 May 2008 08:23:35 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi Andrew,

On Thu, May 22, 2008 at 1:10 AM, Andrew Morton
<akpm@linux-foundation.org> wrote:

>
> What the change is, why it is being made, what the user-visible
> presentation is, what the impact upon users is, why we think it won't
> be a problem, etc? The stuff which should have been right there from
> day one, before the code change was even made?

The change is that previously when `cgroup_clone()` was called
(currently only from the unshare path in `ns_proxy` cgroup, you'd get a
new group named "`node_$pid`" whereas now you'll get a group named after
just your pid.)

The only users who would notice it are those who are using the
`ns_proxy` cgroup subsystem to auto-create cgroups when namespaces are
unshared - something of an experimental feature, which I think really
needs more complete container/namespace support in order to be useful.
I suspect the only users are Cedric and Serge, or maybe a few others
on containers@lists.linux-foundation.org. And in fact it would only be
noticed by the users who make the assumption about how the name is
generated, rather than getting it from the `/proc/<pid>/cgroups` file
for the process in question.

Whether the change is actually needed or not I'm fairly agnostic on,
but I guess it is more elegant to just use the pid as the new group
name rather than adding a fairly arbitrary "`node_`" prefix on the
front.

Paul

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>
