
Subject: [PATCH 1/2] cryo: Fix option -l
Posted by [Benjamin Thery](#) on Mon, 09 Jun 2008 14:47:19 GMT
[View Forum Message](#) <> [Reply to Message](#)

This tiny patch fixes the handling of option -l.
'l' must be added to the getopt() call and the subsequent switch{} if
we don't want to exit too soon.

This makes the following command works:

```
$ cr -l -t test.cryo
```

Signed-off-by: Benjamin Thery <benjamin.thery@bull.net>

cr.c | 3 ++-
1 file changed, 2 insertions(+), 1 deletion(-)

Index: cryodev/cr.c

```
=====
--- cryodev.orig/cr.c
+++ cryodev/cr.c
@@ -1227,10 +1227,11 @@ int main(int argc, char **argv)
     int fd = 0;
     int perm = O_RDONLY;

- while ((ch = getopt(argc, argv, "dmp:rRksf:")) != EOF) {
+ while ((ch = getopt(argc, argv, "dlmp:rRksf:")) != EOF) {
     switch (ch) {
         case 'd': cr_mode |= CR_DEBUG; Debug_mode = 1; break;
         case 'k': cr_mode |= CR_KILL; break;
+ case 'l': mode = ch; break;
         case 's': cr_mode |= CR_STOP; break;
         case 'm': cr_mode |= CR_MMAP; break;
         case 'p': mode = ch; fd = 1; perm = O_WRONLY; pid = (pid_t)atoi(optarg); break;

--
```

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>
