
Subject: Re: [PATCH 1/2] cryo: re-enable checkpointing of thread area
Posted by [serue](#) on Wed, 11 Jun 2008 15:28:06 GMT

[View Forum Message](#) <> [Reply to Message](#)

Quoting Benjamin Thery (benjamin.thery@bull.net):

> This patch re-enable the code that checkpoints (and restore) and thread
> area (ldt) using ptrace_get_thread_area(). This is seem to improve the
> situation a lot on systems with NPTL: it solved one of the general
> protection fault I had when restarting a program.
>
> Signed-off-by: Benjamin Thery <benjamin.thery@bull.net>

Benjamin, you rock. This fixes my kvm image as well.

Nadia, Suka, could you confirm that this does *not* break cryo on your systems?

Patched added to git tree.

thanks,
-serge

```
> ---  
> cr.c | 17 ++++++-----  
> 1 file changed, 8 insertions(+), 9 deletions(-)  
>  
> Index: cryodev/cr.c  
> ======  
> --- cryodev.orig/cr.c  
> +++ cryodev/cr.c  
> @@ -24,7 +24,7 @@  
> #include <signal.h>  
> #include <errno.h>  
>  
> -#include <asm/ldt.h> /* for redhat 9.0, NPTL */  
> +#include <asm/ldt.h> /* for NPTL */  
>  
> #include "utils.h"  
> #include "sci.h"  
> @@ -513,14 +513,12 @@ static int save_process_data(pid_t pid,  
>     return 0;  
> }  
>  
> /* This is required in redhat9 */  
> -#if 0  
> +/* This is required for NPTL */  
> {  
> - modify_ldt ldt;
```

```

> + struct user_desc ldt;
>   if (ptrace_get_thread_area(pid, &ldt) == 0)
>     write_item(fd, "ldt", (void *)&ldt, sizeof(ldt));
> }
> -#endif
>
> snprintf(fname, sizeof(fname), "/proc/%u/exe", pid);
> memset(exe, 0, sizeof(exe));
> @@ -1237,7 +1235,7 @@ static int process_restart(int fd, int m
> char *exe = NULL, *cwd = NULL, *sargv = NULL, *senv = NULL;
> struct user_regs_struct *regs = NULL;
> struct user_fpregs_struct *fpregs = NULL;
> - //modify_ldt_t *ldt = NULL;
> + struct user_desc *ldt = NULL;
> int *exitsig = NULL;
> sigset_t *sigmask = NULL, *sigpend = NULL;
> struct sigaction *sigact = NULL;
> @@ -1262,7 +1260,7 @@ static int process_restart(int fd, int m
>   Free(senv);
>   Free(regs);
>   Free(fpregs);
> - //Free(ldt);
> + Free(ldt);
>   Free(sigact);
>   Free(sigmask);
>   Free(sigpend);
> @@ -1276,7 +1274,7 @@ static int process_restart(int fd, int m
>   else ITEM_SET(cwd, char);
>   else ITEM_SET(regs, struct user_regs_struct);
>   else ITEM_SET(fpregs, struct user_fpregs_struct);
> - //else ITEM_SET(ldt, modify_ldt_t);
> + else ITEM_SET(ldt, struct user_desc);
>   else ITEM_SET(sigact, struct sigaction);
>   else ITEM_SET(sigmask, sigset_t);
>   else ITEM_SET(sigpend, sigset_t);
> @@ -1304,7 +1302,8 @@ static int process_restart(int fd, int m
>   ERROR("lh_hash_add(%p, %u, %p)\n", &hpid, (unsigned)*pid, (void *)npid);
>   return -1;
> }
> - //if (ldt) ptrace_set_thread_area(npid, ldt);
> + if (ldt)
> +   ptrace_set_thread_area(npid, ldt);
>   if (cwd) PT_CHDIR(npid, cwd);
>   restore_fd(fd, npid);
> } else if (ITEM_IS("SOCK")) {
>
> --

```

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>
