
Subject: Re: [PATCH] introduce task cgroup v2
Posted by **KOSAKI Motohiro** on Mon, 16 Jun 2008 02:16:54 GMT
[View Forum Message](#) <> [Reply to Message](#)

Hi

```
>> v1 -> v2
>> o implement can_attach() and attach() method.
>> o remove can_fork member from cgroup_subsys.
>> instead, copy_process() call task_cgroup_can_fork() directly.
>> o fixed dead lock bug.
>> o add Documentation/controller/task.txt
>>
>
> I think Documentation/kernel-parameters.txt should also be updated.
>
> cgroup_disable= [KNL] Disable a particular controller
>   Format: {name of the controller(s) to disable}
>   {Currently supported controllers - "memory"}
```

Yup, You are right.
I'll fix it.

```
>> +config CGROUP_TASK
>> + bool "Simple number of task accounting cgroup subsystem"
>> + depends on CGROUPS && EXPERIMENTAL
>> + default n
>> + help
>> +      Provides a simple number of task accounting cgroup subsystem for
>
> should use TAB
```

Ah, Thanks.

```
>> +static void task_cgroup_destroy(struct cgroup_subsys *ss, struct cgroup *cgrp)
>> +{
>> + kfree(cgrp->subsys[task_cgroup_subsys_id]);
>
> You should kfree task_cgroup* instead of cgroup_subsys_state*.
```

There point to the same address.
but, your opinion has better code clearness, of course.

Thanks.

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>
