

---

Subject: Re: [PATCH] cgroup: support checking of subsystem dependencies (v2)  
Posted by [Paul Menage](#) on Fri, 20 Jun 2008 04:51:53 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

On Wed, Jun 18, 2008 at 6:51 PM, Li Zefan <lizf@cn.fujitsu.com> wrote:

>  
> Signed-off-by: Li Zefan <lizf@cn.fujitsu.com>

Acked-by: Paul Menage <menage@google.com>

Thanks.

```
> ---
> Documentation/cgroups.txt |  6 ++++++
> include/linux/cgroup.h    |  2 ++
> kernel/cgroup.c          | 21 ++++++++++++++++++++
> 3 files changed, 28 insertions(+), 1 deletions(-)
>
> diff --git a/Documentation/cgroups.txt b/Documentation/cgroups.txt
> index 824fc02..8252f5b 100644
> --- a/Documentation/cgroups.txt
> +++ b/Documentation/cgroups.txt
> @@ -530,6 +530,12 @@ and root cgroup. Currently this will only involve movement between
> the default hierarchy (which never has sub-cgroups) and a hierarchy
> that is being created/destroyed (and hence has no sub-cgroups).
>
> +int subsys_depend(struct cgroup_subsys *ss, unsigned long subsys_bits)
> +
> +Called when a cgroup subsystem wants to check if some other subsystems
> +are also present in the proposed hierarchy. If this method returns error,
> +the mount of the cgroup filesystem will fail.
> +
> 4. Questions
> =====
>
> diff --git a/include/linux/cgroup.h b/include/linux/cgroup.h
> index e155aa7..fc99ba4 100644
> --- a/include/linux/cgroup.h
> +++ b/include/linux/cgroup.h
> @@ -305,6 +305,8 @@ struct cgroup_subsys {
>         struct cgroup *cgrp);
>     void (*post_clone)(struct cgroup_subsys *ss, struct cgroup *cgrp);
>     void (*bind)(struct cgroup_subsys *ss, struct cgroup *root);
> +    int (*subsys_depend)(struct cgroup_subsys *ss,
> +                        unsigned long subsys_bits);
> +
> /* 
> * This routine is called with the task_lock of mm->owner held
> */
```

```
> diff --git a/kernel/cgroup.c b/kernel/cgroup.c
> index 15ac0e1..18e8132 100644
> --- a/kernel/cgroup.c
> +++ b/kernel/cgroup.c
> @@ -774,6 +774,25 @@ static int cgroup_show_options(struct seq_file *seq, struct vfsmount
>*vfs)
>     return 0;
> }
>
> +static int check_subsys_dependency(unsigned long subsys_bits)
> +{
> +    int i;
> +    int ret;
> +    struct cgroup_subsys *ss;
> +
> +    for (i = 0; i < CGROUP_SUBSYS_COUNT; i++) {
> +        ss = subsys[i];
> +
> +        if (test_bit(i, &subsys_bits) && ss->subsys_depend) {
> +            ret = ss->subsys_depend(ss, subsys_bits);
> +            if (ret)
> +                return ret;
> +        }
> +    }
> +
> +    return 0;
> +}
> +
> +struct cgroup_sb_opts {
> +    unsigned long subsys_bits;
> +    unsigned long flags;
> @@ -834,7 +853,7 @@ static int parse_cgroupfs_options(char *data,
> +    if (!opts->subsys_bits)
> +        return -EINVAL;
> +
> -    return 0;
> +    return check_subsys_dependency(opts->subsys_bits);
> +}
>
> static int cgroup_remount(struct super_block *sb, int *flags, char *data)
> --
> 1.5.4.rc3
>
>
```

---

Containers mailing list  
Containers@lists.linux-foundation.org  
<https://lists.linux-foundation.org/mailman/listinfo/containers>

---