
Subject: Re: Gentoo baselayout2 doesn't start inside container

Posted by [drescherjm](#) on Tue, 24 Jun 2008 18:00:26 GMT

[View Forum Message](#) <> [Reply to Message](#)

On Tue, Jun 24, 2008 at 1:05 PM, David Sparks <dave@ca.sophos.com> wrote:

> Arjan Schrijver wrote:

>>

>> Hi there,

>>

>> I'm having some trouble with my Gentoo OpenVZ container. I wanted to
>> install the new baselayout2 version, so I could ditch baselayout-vserver.
>> But now when I start the container, the 'init boot' process takes all CPU
>> power but doesn't continue the booting process. Is there anybody running the
>> new baselayout inside an OpenVZ container? I've tested inside a Virtuozzo
>> container, and that worked perfectly fine.

>

> I had no luck getting baselayout-2 running with Openvz.

It works absolutely fine for me. Although I mirrored the container
from a running gentoo system using rsync.

Inside the container:

emerge --info

Performing Global Updates: /usr/portage/profiles/updates/2Q-2008

(Could take a couple of minutes if you have a lot of binary packages.)

.='update pass' *='binary update' @='/'var/db move'
s='/'var/db SLOT move' S='binary SLOT move' p='update /etc/portage/package.*'

=====

pp@ Portage 2.1.4.4 (default-linux/amd64/2006.1, gcc-4.2.4,
glibc-2.6.1-r0, 2.6.24-ovz005 x86_64)

=====

System uname: 2.6.24-ovz005 x86_64 AMD Athlon(tm) 64 X2 Dual Core
Processor 5000+

Timestamp of tree: Wed, 11 Jun 2008 21:45:01 +0000

distcc 2.18.3 x86_64-pc-linux-gnu (protocols 1 and 2) (default port
3632) [disabled]

app-shells/bash: 3.2_p39

dev-lang/python: 2.4.4-r9

dev-python/pycrypto: 2.0.1-r6

dev-util/confcache: 0.4.2-r1

sys-apps/baselayout: 2.0.0

sys-apps/openrc: 0.2.4-r1

sys-apps/sandbox: 1.2.18.1-r2

sys-devel/autoconf: 2.13, 2.61-r1

```
sys-devel/automake: 1.5, 1.8.5-r3, 1.10.1
sys-devel/binutils: 2.18-r1
sys-devel/gcc-config: 1.4.0-r4
sys-devel/libtool: 1.5.26
virtual/os-headers: 2.6.23-r3
ACCEPT_KEYWORDS="amd64"
CBUILD="x86_64-pc-linux-gnu"
CFLAGS="-O2 -march=athlon64 -fomit-frame-pointer -mpreferred-stack-boundary=8"
CHOST="x86_64-pc-linux-gnu"
CONFIG_PROTECT="/etc /var/bind"
CONFIG_PROTECT_MASK="/etc/env.d /etc/fonts/fonts.conf /etc/gconf
/etc/gentoo-release /etc/php/apache2-php5/ext-active/
/etc/php/cgi-php5/ext-active/ /etc/php/cli-php5/ext-active/
/etc/revdep-rebuild /etc/terminfo /etc/texmf/web2c"
CXXFLAGS="-O2 -march=athlon64 -fomit-frame-pointer -mpreferred-stack-boundary=8"
DISTDIR="/usr/portage/distfiles"
FEATURES="candy ccache confcache distlocks metadata-transfer
parallel-fetch sandbox sfperms strict unmerge-orphans userfetch"
GENTOO_MIRRORS="http://mirror.datapipe.net/gentoo
http://mirror.datapipe.net/gentoo ftp://gentoo.mirrors.pair.com/
http://mirrors.acm.cs.rpi.edu/gentoo/"
MAKEOPTS="-j9"
PKGDIR="/mnt/imports/packages/amd64/server/server/gcc-4.2/glibc-2.6"
PORTAGE_RSYNC_EXTRA_OPTS="--progress"
PORTAGE_RSYNC_OPTS="--recursive --links --safe-links --perms --times
--compress --force --whole-file --delete --stats --timeout=180
--exclude=/distfiles --exclude=/local --exclude=/packages"
PORTAGE_TMPDIR="/var/tmp"
PORTDIR="/usr/portage"
PORTDIR_OVERLAY="/usr/portage/local/layman/masterdriverz
/usr/local/portage/gentoo-overlay"
SYNC="rsync://datastore0/gentoo-portage"
USE="7zip acl amd64 bacula-console bacula-split-init bash
bash-completion berkdb bzip2 c++ chroot cli cracklib crosscompile
crypt cups cvs doc dri emul-linux-x86 fortran gdbm gpm iconv isdnlog
kerberos ldap midi mozbranding mudflap ncurses nls nptl nptlonly
opengl openmp pam pcre perl php png ppds pppd python readline
reflection reiserfs samba session spl ssl szip tcltk unicode xml xml2
xorg zlib" ALSA_CARDS="ali5451 als4000 atiixp atiixp-modem bt87x
ca0106 cmipci emu10k1x ens1370 ens1371 es1938 es1968 fm801 hda-intel
intel8x0 intel8x0m maestro3 trident usb-audio via82xx via82xx-modem
ymfpci" ALSA_PCM_PLUGINS="adpcm alaw asym copy dmix dshare dsnoop
empty extplug file hooks iec958 ioplug ladspa lfloat linear meter
mulaw multi null plug rate route share shm softvol"
APACHE2_MODULES="actions alias auth_basic authn_alias authn_anon
authn_dbm authn_default authn_file authz_dbm authz_default
authz_groupfile authz_host authz_owner authz_user autoindex cache dav
dav_fs dav_lock deflate dir disk_cache env expires ext_filter
```

```
file_cache filter headers include info log_config logio mem_cache mime  
mime_magic negotiation rewrite setenvif spelng status unique_id  
userdir usertrack vhost_alias" ELIBC="glibc" INPUT_DEVICES="keyboard  
mouse" KERNEL="linux" LCD_DEVICES="bayrad cfontz cfontz633 glk hd44780  
lb216 lcdm001 mtxorb ncurses text" USERLAND="GNU" VIDEO_CARDS="ati  
radeon mach64"  
Unset: CPPFLAGS, CTARGET, EMERGE_DEFAULT_OPTS, INSTALL_MASK, LANG,  
LC_ALL, LDFLAGS, LINGUAS, PORTAGE_COMPRESS, PORTAGE_COMPRESS_FLAGS
```

John
