

---

Subject: [RFC][PATCH 2/5] mqueue namespace: add unshare support

Posted by [Dave Hansen](#) on Thu, 10 Jul 2008 22:30:48 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

From: Cedric Le Goater <[clg@fr.ibm.com](mailto:clg@fr.ibm.com)>

This patch includes the mqueue namespace in the nsproxy object. It also adds the support of unshare() and clone() with a new clone flag.

It's totally harmless for the moment because the current code still uses the default mqueue namespace object 'init\_mq\_ns'

Changes since v6 Mar 05, 2008:

- \* dropped new clone flag CLONE\_NEWMQ and used CLONE\_NEWIPC instead

Changes since v5 Feb 28, 2008:

- \* fix typo in create\_new\_namespaces()

Changes since v4:

- \* remove CLONE\_NEWS enforcement. stalled user mounts are handled in the fs ops.

Signed-off-by: Cedric Le Goater <[clg@fr.ibm.com](mailto:clg@fr.ibm.com)>

---

```
linux-2.6.git-dave/include/linux/init_task.h |  2 +
linux-2.6.git-dave/include/linux/mq_namespace.h |  1
linux-2.6.git-dave/include/linux/nsproxy.h    |  2 +
linux-2.6.git-dave/ipc/mq_namespace.c        | 36 ++++++=====
linux-2.6.git-dave/kernel/nsproxy.c          | 11 ++++++
5 files changed, 51 insertions(+), 1 deletion(-)
```

```
diff -puN include/linux/init_task.h~mq_namespace-add-mq_namespace-to-nsproxy
include/linux/init_task.h
```

---

```
linux-2.6.git/include/linux/init_task.h~mq_namespace-add-mq_namespace-to-nsproxy 2008-06-24
12:03:17.000000000 -0700
+++ linux-2.6.git-dave/include/linux/init_task.h 2008-06-24 12:03:17.000000000 -0700
@@ -10,6 +10,7 @@
 #include <linux/user_namespace.h>
 #include <linux/securebits.h>
 #include <net/net_namespace.h>
+#include <linux/mq_namespace.h>
```

```

extern struct files_struct init_files;

@@ -58,6 +59,7 @@ extern struct nsproxy init_nsproxy;
INIT_NET_NS(net_ns)                                \
INIT_IPC_NS(ipc_ns)      \
.user_ns = &init_user_ns, \
+ INIT_MQ_NS(mq_ns)      \
}

#define INIT_SIGHAND(sighand) {    \
diff -puN include/linux/mq_namespace.h~mq_namespace-add-mq_namespace-to-nsproxy
include/linux/mq_namespace.h
---
linux-2.6.git/include/linux/mq_namespace.h~mq_namespace-add-mq_namespace-to-nsproxy 200
8-06-24 12:03:17.000000000 -0700
+++ linux-2.6.git-dave/include/linux/mq_namespace.h 2008-06-24 12:03:17.000000000 -0700
@@ -2,6 +2,7 @@
#define _LINUX_MQ_NAMESPACE_H

#include <linux/kref.h>
+#include <linux/err.h>

struct vfsmount;

diff -puN include/linux/nsproxy.h~mq_namespace-add-mq_namespace-to-nsproxy
include/linux/nsproxy.h
---
linux-2.6.git/include/linux/nsproxy.h~mq_namespace-add-mq_namespace-to-nsproxy 2008-06-24
12:03:17.000000000 -0700
+++ linux-2.6.git-dave/include/linux/nsproxy.h 2008-06-24 12:03:17.000000000 -0700
@@ -8,6 +8,7 @@ struct mnt_namespace;
struct uts_namespace;
struct ipc_namespace;
struct pid_namespace;
+struct mq_namespace;

/*
 * A structure to contain pointers to all per-process
@@ -29,6 +30,7 @@ struct nsproxy {
struct pid_namespace *pid_ns;
struct user_namespace *user_ns;
struct net      *net_ns;
+ struct mq_namespace *mq_ns;
};

extern struct nsproxy init_nsproxy;

diff -puN ipc/mq_namespace.c~mq_namespace-add-mq_namespace-to-nsproxy
ipc/mq_namespace.c

```

```

---
linux-2.6.git/ipc/mq_namespace.c~mq_namespace-add-mq_namespace-to-nsproxy 2008-06-24
12:03:17.000000000 -0700
+++ linux-2.6.git-dave/ipc/mq_namespace.c 2008-06-24 12:03:17.000000000 -0700
@@ @ -10,14 +10,48 @@
 */

#include <linux/mq_namespace.h>
+#include <linux/slab.h>
+#include <linux/sched.h>
+#include <linux/err.h>
+
+static struct mq_namespace *clone_mq_ns(struct mq_namespace *old_ns)
+{
+ struct mq_namespace *mq_ns;
+
+ mq_ns = kmalloc(sizeof(struct mq_namespace), GFP_KERNEL);
+ if (!mq_ns)
+ return ERR_PTR(-ENOMEM);
+
+ kref_init(&mq_ns->kref);
+ mq_ns->queues_count = 0;
+ mq_ns->queues_max = DFLT_QUEUESMAX;
+ mq_ns->msg_max = DFLT_MSGMAX;
+ mq_ns->msgsize_max = DFLT_MSGSIZEMAX;
+ mq_ns->mnt = NULL;
+ return mq_ns;
}

struct mq_namespace *copy_mq_ns(unsigned long clone_flags,
 struct mq_namespace *old_ns)
{
+ struct mq_namespace *mq_ns;
+
 BUG_ON(!old_ns);
- return get_mq_ns(old_ns);
+ get_mq_ns(old_ns);
+
+ if (!(clone_flags & CLONE_NEWIPC))
+ return old_ns;
+
+ mq_ns = clone_mq_ns(old_ns);
+
+ put_mq_ns(old_ns);
+ return mq_ns;
}

void free_mq_ns(struct kref *kref)

```

```

{
+ struct mq_namespace *ns;
+
+ ns = container_of(kref, struct mq_namespace, kref);
+ kfree(ns);
}
diff -puN kernel/nsproxy.c~mq_namespace-add-mq_namespace-to-nsproxy kernel/nsproxy.c
--- linux-2.6.git/kernel/nsproxy.c~mq_namespace-add-mq_namespace-to-nsproxy 2008-06-24
12:03:17.000000000 -0700
+++ linux-2.6.git-dave/kernel/nsproxy.c 2008-06-24 12:03:17.000000000 -0700
@@ -93,8 +93,17 @@ static struct nsproxy *create_new_namesp
    goto out_net;
}

+ new_nsp->mq_ns = copy_mq_ns(flags, tsk->nsproxy->mq_ns);
+ if (IS_ERR(new_nsp->mq_ns)) {
+   err = PTR_ERR(new_nsp->mq_ns);
+   goto out_mq;
+ }
+
 return new_nsp;

+out_mq:
+ if (new_nsp->net_ns)
+   put_net(new_nsp->net_ns);
out_net:
 if (new_nsp->user_ns)
   put_user_ns(new_nsp->user_ns);
@@ -182,6 +191,8 @@ void free_nsproxy(struct nsproxy *ns)
   put_pid_ns(ns->pid_ns);
 if (ns->user_ns)
   put_user_ns(ns->user_ns);
+ if (ns->mq_ns)
+   put_mq_ns(ns->mq_ns);
   put_net(ns->net_ns);
   kmem_cache_free(nsproxy_cachep, ns);
}
-

```

---

Containers mailing list  
 Containers@lists.linux-foundation.org  
<https://lists.linux-foundation.org/mailman/listinfo/containers>

---