
Subject: [RFC][PATCH 2/4] res_counter check usage under val
Posted by [KAMEZAWA Hiroyuki](#) on Fri, 18 Jul 2008 10:35:30 GMT
[View Forum Message](#) <> [Reply to Message](#)

Add an interface to check usage is below "val"

Signed-off-by: KAMEZAWA Hiroyuki <kamezawa.hiroyu@jp.fujitsu.com>

include/linux/res_counter.h | 13 ++++++++
1 file changed, 13 insertions(+)

Index: mmtom-stamp-2008-07-15-15-39/include/linux/res_counter.h

```
=====
--- mmtom-stamp-2008-07-15-15-39.orig/include/linux/res_counter.h
+++ mmtom-stamp-2008-07-15-15-39/include/linux/res_counter.h
@@ -191,4 +191,17 @@ static inline int res_counter_set_limit(
    return ret;
}

+static inline int res_counter_check_under_val(struct res_counter *cnt,
+ unsigned long long val)
+{
+ unsigned long flags;
+ int ret = 0;
+
+ spin_lock_irqsave(&cnt->flags, flags);
+ if (cnt->usage < val)
+ ret = 1;
+ spin_unlock_irqrestore(&cnt->flags, flags);
+ return ret;
+}
+
#endif
```

Containers mailing list
Containers@lists.linux-foundation.org
<https://lists.linux-foundation.org/mailman/listinfo/containers>
