

---

Posted by [POMAH007](#) on Wed, 30 Jul 2008 10:37:42 GMT

[View Forum Message](#) <> [Reply to Message](#)

---

```
+ MAKE_ARGS='ARCH=i386
O=/var/tmp/kernel-ovz-source-2.6.16.60_027stab028.3-build/usr/src/linux-2.6.16.60_027stab028.
3-0.23-obj/i386/vzpaе'
+ make silentoldconfig ARCH=i386
O=/var/tmp/kernel-ovz-source-2.6.16.60_027stab028.3-build/usr/src/linux-2.6.16.60_027stab028.
3-0.23-obj/i386/vzpaе
HOSTCC scripts/basic/fixdep
HOSTCC scripts/basic/split-include
HOSTCC scripts/basic/docproc
GEN
/var/tmp/kernel-ovz-source-2.6.16.60_027stab028.3-build/usr/src/linux-2.6.16.60_027stab028.3-0.
23-obj/i386/vzpaе/Makefile
HOSTCC scripts/kconfig/conf.o
HOSTCC scripts/kconfig/kxgettext.o
HOSTCC scripts/kconfig/mconf.o
SHIPPED scripts/kconfig/zconf.tab.c
SHIPPED scripts/kconfig/lex.zconf.c
SHIPPED scripts/kconfig/zconf.hash.c
HOSTCC scripts/kconfig/zconf.tab.o
HOSTLD scripts/kconfig/conf
scripts/kconfig/conf -s arch/i386/Kconfig
#
# using defaults found in .config
#
*
* Restart config...
*
* Code maturity level options
*
Prompt for development and/or incomplete code/drivers (EXPERIMENTAL) [N/y/?] (NEW)
aborted!

Console input/output is redirected. Run 'make oldconfig' to update configuration.

make[2]: *** [silentoldconfig] Error 1
make[1]: *** [silentoldconfig] Error 2
make: *** [silentoldconfig] Error 2
error: Bad exit status from /var/tmp/rpm-tmp.26861 (%build)
```

RPM build errors:

Bad exit status from /var/tmp/rpm-tmp.26861 (%build)

---